

Dal 1960 al servizio dello **SPORT**



**SCHIAVI** **SPORT**

**CATALOGO 2020-2021**

**MATTRESSES | MAT | WALL PROTECTIONS**

**ART. 0610A ROLLED YOGA MAT 12 PCS. PACK**



ART. 0610A ROLLED YOGA MAT  
With handle, non-slip rubber, 173x61x0,6 cm.  
**12 PCS. PACK**

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)

**ART. 0605A MAT "SOFT"**

ART. 0605A MAT "SOFT"  
pvc foam, rollable, size 173x70x0.  
**9 PCS. PACK**

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)



## ART. 3750A MAT NBR/MAT140



Blue color, with aluminum eyelets, very soft and comfortable elastic material (polymers and rubber), non-slip, non-toxic, size 140x58x1.5 cm. According to EN71.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)

## ART. 3751A MAT NBR/MAT 180

Blue color, with aluminum eyelets, very soft and comfortable elastic material (polymers and rubber), non-slip, non-toxic, size 180x58x1.5 cm. According to EN71.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)



## ART. 0613 FOLDING MAT "RED", 20 PCS PACK

ART. 0613 FOLDING MAT "RED"  
Closed cell foam, red, embossed on one side, 150x60x0,8 cm.  
20 PCS PACK



**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)

## ART. 0614 FOLDING MAT "COLOR", 9 PCS PACK

ART. 0614 FOLDING MAT "COLOR"  
closed cell foam, assorted colors, embossed on one side and anti-slip film, equipped with 2 tubular elastics, 150x70x1,1 cm.

**9 PCS. PACK**

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)



## ART 3755 WALL SHELF FOR MATTRESSES / MATS

(Italiano) In metallo verniciato. Per ART. 3750A e ART. 3751A

**Categories:** [NEW ARRIVALS](#), [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [MATS](#), [MATS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)



## ART. 3761 MAT 200X100X4 D21

### ART. 3761

MAT 200x100x4 D21 in nondeformable foam density D21 (21 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, with handles, zipper and vents.

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)



**ART. 3771 - 3772 - 3773 - 3774 - 3775 ANTISLIP MATTRESS**

**ART. 3771 - 3772 - 3773 - 3774 - 3775 ANTISLIP MATTRESS**

**ART. 3771**

ANTISLIP MATTRESS 200X200X40 in nondeformable bearing foam density D21 (21 kg/ m<sup>3</sup>), reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, antislip bottom, with handles, zipper and vents.

**ART. 3772**

ANTISLIP MATTRESS 200X200X50

**ART. 3773**

ANTISLIP MATTRESS 300X200X30

**ART. 3774**

ANTISLIP MATTRESS 300X200X40

**ART. 3775**

ANTISLIP MATTRESS 300X200X50

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATTRESS](#) | [MATTRESS COVER](#)



**ART. 3763 - 3764 - 3765 - 3766 - 3767 - 3770  
MATTRESS 10, 20, 30, 40, 50 CM. H.**

**ART. 3763 - 3764 - 3765 - 3766 - 3767 -  
3770 MATTRESS 10, 20, 30, 40, 50 cm. h.**

**ART. 3763**

MATTRESS 200X100X10 in nondeformable bearing foam density D21 (21 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, with handles, zipper and vents.

**ART. 3764**

MATTRESS 200X100X20

**ART. 3765**

MATTRESS 200X100X30

**ART. 3766**

MATTRESS 200X100X40

**ART. 3767**

MATTRESS 200X100X50

**ART. 3770**

MATTRESS 400X200X20 (folded 200x200x40) central link with reinforced PVC band, in nondeformable bearing foam density D21 (21 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, with handles, zipper and vents.

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[MATTRESS | MATTRESS COVER](#)



## ART. 3776 - 3777 ANTISLIP MATTRESS CONTOURED 45°

ART. 3776 - 3777 ANTISLIP MATTRESS CONTOURED 45°

### ART. 3776

ANTISLIP MATTRESS CONTOURED 45° 400X200X40 in nondeformable bearing foam density D21 (21 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignifed Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, antislip bottom, divided into two parts countered 45° and joined by Velcro closure and straps, with handles, zipper and vents.

### ART. 3777

ANTISLIP MATTRESS CONTOURED 45° 400X200X50 in nondeformable bearing foam density D21 (21 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignifed Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, antislip bottom, divided into two parts countered 45° and joined by Velcro closure and straps, with handles, zipper and vents.

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATTRESS | MATTRESS COVER](#)



## ART. 3780 TROLLEY FOR MATTRESS

ART. 3780 TROLLEY FOR MATTRESS

Epoxy coated steel, with 4 swivel wheels Ø 100 mm, size 200x95x15 cm.

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATTRESS | MATTRESS COVER](#)



**ART. 3799 MATTRESS COVER**



ART. 3799 MATTRESS COVER  
 In "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignifed Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, sizes on request.

**QUOTE ON REQUEST**

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[MATTRESS | MATTRESS COVER](#)

**ART. 3800 ANTISLIP MATTRESS COVER**

ART. 3800 ANTISLIP MATTRESS COVER  
 "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignifed Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, sizes on request.

**QUOTE ON REQUEST**

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[MATTRESS | MATTRESS COVER](#)







**ART. 3802 FALLING AREA FOR HIGH JUMP WITH RECESS FOR STANDING HOUSING CM 600X400X70H**

ART. 3802 FALLING AREA FOR HIGH JUMP WITH RECESS FOR STANDING HOUSING cm 600x400x70h

Includes: a) basic mattress 600x400x60h cm made of foam, density 16 (16 kg/m<sup>3</sup>) divided into 6 blocks, with "air channel" system (air channels over the entire width of the mattress to facilitate the air expulsion) b) cover "CARBON DUAL COATED" fabric, tear-resistant, mildew-proof, washable and ignifed Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp; sides with mesh vents Naizil fabric mesh 280/sq.m. (supportoin 1100 dtex polyester, tensile resistance in warp and weft 1500N) c) mattress wear and tear resistant 600x400x10h cm. made of foam, density 21 (21 kg/m<sup>3</sup>) coated mesh fabric "texplast" anti rivets 565 gr/sq.m. (breaking load 310kg/5cm in warp and 270 kg/5cm in weft, treatment against UV rays, joined to the cover with heavy-duty zippers in 3 sides. d) rainfly electro-welded PVC gray color.

**QUOTE ON REQUEST**

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATTRESS | MATTRESS COVER](#)

## ART. 3806 FALLING AREA FOR HIGH JUMP/POLE JUMP 600X600X80H 200 CM.

ART. 3806 FALLING AREA FOR HIGH JUMP/POLE JUMP 600x600x80h 200 cm.

Includes: a) basic mattress 600x510x70h cm. made of foam, density 16 (16 kg/m<sup>3</sup>) divided into 6 blocks, with "air channel" system (air channels over the entire width of the mattress to facilitate the air expulsion) b) high frequency electro-welded cover "CARBON DUAL COATED" fabric, tear-resistant, mildew-proof, washable and ignited Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN/5 cm in weft and 270 daN/5 cm in warp; c) mattress wear and tear resistant made of foam, density 21 (21 kg/m<sup>3</sup>) coated mesh fabric "texplast" anti rivets 565 gr/sq.m. (breaking load 310 kg/5cm in warp and 270kg/5cm in weft, treatment against UV rays, joined to the cover with heavy-duty zippers in 3 sides. d) rainfly electro-welded PVC gray color. e) slipways 2 mt., f) supports protections electro welded. In accordance with IAAF.

**QUOTE ON REQUEST**

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATTRESS | MATTRESS COVER](#)



## ART. 3810 SUPPORT/LIFTING PLATFORM FALLING AREA

ART. 3810 SUPPORT/LIFTING PLATFORM FALLING AREA  
Anodized aluminum framework with slats diameter 80x20x2 mm. with special side rails for the containment of mattresses and support of aluminum sheet close to the box to prevent breakage of the jumping pole in case of failure of the box; built in modules for easy transport (area 6x6 mt. slipway 2 mt. = total 48 sq.m.

**QUOTE ON REQUEST**

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATTRESS | MATTRESS COVER](#)




## ART. 3850 PADDED PROTECTION FOR WALLS AND PILLARS

ART. 3850 PADDED PROTECTION FOR WALLS AND PILLARS  
 Mattress in nondeformable closed cell foam fire reaction class 1, density D 35 (35 kg./m<sup>3</sup>) 2,5 cm. thick, shock absorption according to EN 913C, NAIZIL cover fabric reaction to fire class 1, blue or yellow, washable, anti-bacterial, anti-mold, prepared for wall mounting with band with button-hole and dowels (dowels not provided), or velcro - size on request - ask for quote.

### QUOTE ON REQUEST

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[WALL PROTECTIONS | EDGE AND ANGLE PROTECTIONS](#)



## ART. 3857ABLU BLUE WALL PROTECTION

Blue wall protection 24 mm. thick, fire reaction class 1. Soft and compact foam to ensure shock absorption, non-toxic, washable coated with scratch-resistant material, to be glued to walls, columns, edges and corners (use special glue - 300 gr. x sq.m.) size 200x145x2,4 cm., blue, in accordance to EN 913C - EN 1177:2008.

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[WALL PROTECTIONS | EDGE AND ANGLE PROTECTIONS](#)

## ART. 3857ABLU-H 220 BLUE WALL PROTECTION

Blue wall protection 24 mm. thick, fire reaction class 1. Soft and compact foam to ensure shock absorption, non-toxic, washable coated with scratch-resistant material, to be glued to walls, columns, edges and corners (use special glue - 300 gr. x sq.m.) size 220x145x2,4 cm., blue, in accordance to EN 913C - EN 1177:2008.


**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[WALL PROTECTIONS | EDGE AND ANGLE PROTECTIONS](#)



**ART. 3858BL “Z” FINISHING BLUE**

ART. 3858BL “Z” FINISHING BLUE  
204 cm., blue, to finish start/end and top Art 3857BLU - to apply with special glue or dowels.

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#),  
[WALL PROTECTIONS](#) | [EDGE AND ANGLE PROTECTIONS](#)



**ART. 3856BL SOFT ANGLED EDGE PROTECTION BLUE**

In soft foam for shock absorption, soft, non-toxic, reaction to fire class 1, coated with scratch-resistant material, washable (to be fixed with special glue) size 200hx5x5 cm. 22 mm. thick, blue, according to EN 913C.

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#),  
[WALL PROTECTIONS](#) | [EDGE AND ANGLE PROTECTIONS](#)





**ART. 3870 SPECIAL GLUE**

ART. 3870 SPECIAL GLUE

**ART. 3870 - 1**

SPECIAL GLUE 1 1kg. to glue corner guards and wall protections TR to the walls, to be applied by brush or roller on the wall and on the protection 0,850 kg. (yeld: 150 gr. wall 150 gr. protection = 300 gr. x 1sq.m.)

**ART. 3870 - 4**

SPECIAL GLUE 4 4 kg. (yeld: 150 gr. wall 150 gr. protection = 300 gr. x 1sq.m.)

**ART. 3870 - 10**

SPECIAL GLUE 10 10 kg. (yeld: 150 gr. wall 150 gr. protection = 300 gr. x 1sq.m.)

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [WALL PROTECTIONS](#) | [EDGE AND ANGLE PROTECTIONS](#)

**ART 3715 JOINT PARQUET FLOOR MAT BICOLORED IN EVA**

Joint PARQUET FLOOR mat, bicolored in EVA, wood colour surface on one side and judo surface (finishing "rice straw" antislip) on the other side, green or red colour, reversible, elastic material with particular characteristics of shock absorption, anti-mycotic, anti-bacterial, hypoallergenic, washable, equipped with 3 straight edges, size 100x100x1,3 cm., according to UNI EN 71.



**Categories:** [MARTIAL ARTS](#) | [BOXE](#), [TATAMI](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)

**ART 3705N MATERASSO GYMSTOFT EASY CM.200X100X4**

Concealed fastening system, upper side in embossed PVC, light (only Kg. 6), safe, padding in cross-linked polyethylene foam, BLUE color, recommended for educational, school and sports activities. In accordance with NF EN 12503.1

**Categories:** [NEW ARRIVALS](#), [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATS | MATTRESS | JUDO TATAMI](#)



**ART. 3748 TPE TWO-TONE MATTRESS**

**ART. 3748 TPE TWO-TONE MATTRESS**

anti-slip resistant material (polymers and rubber), antibacterial, with aluminum eyelets. Mis. 140x60x1.5 cm


**Categories:** [NEW ARRIVALS](#), [FITNESS | PILATES | YOGA | CROSSFIT](#), [MATS](#), [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATS | MATTRESS | JUDO TATAMI](#)



**ART. 3721VG JOINT MAT IN EVA**

JOINT MAT Green-Yellow in EVA, judo surface (finishing "rice straw" antislip) on both sides, reversible, hardness 45, blue, elastic material with particular characteristics of shock absorption, anti-mycotic, anti-bacterial, hypoallergenic, washable, equipped with 3 straight edges, size 100x100x2 cm., according to UNI EN 71.

**Categories:** [MARTIAL ARTS | BOXE, TATAMI](#), [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATS | MATTRESS | JUDO TATAMI](#)



## ART. 3722RB JOINT MAT IN EVA

JOINT MAT Red-Blue in EVA, judo surface (finishing “rice straw” antislip) on both sides, reversible, hardness 45, blue, elastic material with particular characteristics of shock absorption, anti-mycotic, anti-bacterial, hypoallergenic, washable, equipped with 3 straight edges, size 100x100x2 cm., according to UNI EN 71.

**Categories:** [MARTIAL ARTS | BOXE, TATAMI, MATTRESSES | MAT | WALL PROTECTIONS, MATS | MATTRESS | JUDO TATAMI](#)



## ART. 3731A JUDO TATAMI BICOLORED RED/GREEN IN EVA

Judo surface, finishing “rice straw” antislip on both sides, reversible, hardness 40, anti-mycotic, anti-bacterial, hypoallergenic, washable, composed of 3 layers: two outer EVA, the central soft rubber, with 3 edges, mis. 100x100x4 cm., according to UNI EN 71.


**Categories:** [MARTIAL ARTS | BOXE, TATAMI, MATTRESSES | MAT | WALL PROTECTIONS, MATS | MATTRESS | JUDO TATAMI](#)

## ART 6010 GYMNASTIC CARPET

ART 6010 GYMNASTIC CARPET  
 mt. 14 X 2 cross-linked closed cell polyethylene, multi-layer variable density to give a comfortable and safe absorption, seamless it has an homogeneity of surface, thickness and therefore comfort. Carpeted surface coupled by flame to ensure a perfect and long life, non-slip bottom. Can be rolled up for easy transport and storage. Placing side by side several lanes you can compose large surfaces. Red, 14X2 mt., 3 cm. thick.

**QUOTE ON REQUEST**

**Categories:** [DANCE | RITHMIC GYMNASTIC | PROPRIOCEPTIVE | PSYCOMOTOR, RYTHMIC HOOPS, MATTRESSES | MAT | WALL PROTECTIONS, MATS | MATTRESS | JUDO TATAMI](#)



## ART. 3762 MAT 200X100X4 D40

### ART. 3762

MAT 200x100x4 D40 in nondeformable foam density D40 (40 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, with handles, zipper and vents.

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS, MATS | MATTRESS | JUDO TATAMI](#)





**MATS | MATTRESS | JUDO TATAMI**



**ART. 0610A ROLLED YOGA MAT 12 PCS. PACK**

ART. 0610A ROLLED YOGA MAT  
With handle, non-slip rubber, 173x61x0,6 cm.  
**12 PCS. PACK**

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)

**ART. 0605A MAT "SOFT"**

ART. 0605A MAT "SOFT"  
pvc foam, rollable, size 173x70x0.  
**9 PCS. PACK**

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)



## ART. 3750A MAT NBR/MAT140



Blue color, with aluminum eyelets, very soft and comfortable elastic material (polymers and rubber), non-slip, non-toxic, size 140x58x1.5 cm. According to EN71.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)

## ART. 3751A MAT NBR/MAT180

Blue color, with aluminum eyelets, very soft and comfortable elastic material (polymers and rubber), non-slip, non-toxic, size 180x58x1.5 cm. According to EN71.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)



## ART. 0613 FOLDING MAT "RED", 20 PCS PACK

ART. 0613 FOLDING MAT "RED"  
Closed cell foam, red, embossed on one side, 150x60x0,8 cm.  
20 PCS PACK

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)



## ART. 0614 FOLDING MAT "COLOR", 9 PCS PACK

ART. 0614 FOLDING MAT "COLOR"  
closed cell foam, assorted colors, embossed on one side and anti-slip film, equipped with 2 tubular elastics, 150x70x1,1 cm.

**9 PCS. PACK**

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [MATS](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [MATS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)



## ART 3755 WALL SHELF FOR MATTRESSES / MATS

(Italiano) In metallo verniciato. Per ART. 3750A e ART. 3751A

**Categories:** [NEW ARRIVALS](#), [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [MATS](#), [MATS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)



## ART. 3761 MAT 200X100X4 D21

### ART. 3761

MAT 200x100x4 D21 in nondeformable foam density D21 (21 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, with handles, zipper and vents.

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)



**ART 3715 JOINT PARQUET FLOOR MAT BICOLORED IN EVA**

Joint PARQUET FLOOR mat, bicolored in EVA, wood colour surface on one side and judo surface (finishing “rice straw” antislip) on the other side, green or red colour, reversible, elastic material with particular characteristics of shock absorption, anti-mycotic, anti-bacterial, hypoallergenic, washable, equipped with 3 straight edges, size 100x100x1,3 cm., according to UNI EN 71.

**Categories:** [MARTIAL ARTS | BOXE](#), [TATAMI](#), [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATS | MATTRESS | JUDO TATAMI](#)



**ART 3705N MATERASSO GYMSOFT EASY CM.200X100X4**

Concealed fastening system, upper side in embossed PVC, light (only Kg. 6), safe, padding in cross-linked polyethylene foam, BLUE color, recommended for educational, school and sports activities. In accordance with NF EN 12503.1

**Categories:** [NEW ARRIVALS](#), [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATS | MATTRESS | JUDO TATAMI](#)



**ART. 3748 TPE TWO-TONE MATTRESS**

**ART. 3748 TPE TWO-TONE MATTRESS**

anti-slip resistant material (polymers and rubber), antibacterial, with aluminum eyelets. Mis. 140x60x1.5 cm

**Categories:** [NEW ARRIVALS](#), [FITNESS | PILATES | YOGA | CROSSFIT](#), [MATS](#), [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATS | MATTRESS | JUDO TATAMI](#)



## ART. 3721VG JOINT MAT IN EVA

JOINT MAT Green-Yellow in EVA, judo surface (finishing "rice straw" antislip) on both sides, reversible, hardness 45, blue, elastic material with particular characteristics of shock absorption, anti-mycotic, anti-bacterial, hypoallergenic, washable, equipped with 3 straight edges, size 100x100x2 cm., according to UNI EN 71.

**Categories:** [MARTIAL ARTS](#) | [BOXE](#), [TATAMI](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)



## ART. 3722RB JOINT MAT IN EVA

JOINT MAT Red-Blue in EVA, judo surface (finishing "rice straw" antislip) on both sides, reversible, hardness 45, blue, elastic material with particular characteristics of shock absorption, anti-mycotic, anti-bacterial, hypoallergenic, washable, equipped with 3 straight edges, size 100x100x2 cm., according to UNI EN 71.


**Categories:** [MARTIAL ARTS](#) | [BOXE](#), [TATAMI](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)




## ART. 3731A JUDO TATAMI BICOLORED RED/GREEN IN EVA

Judo surface, finishing "rice straw" antislip on both sides, reversible, hardness 40, anti-mycotic, anti-bacterial, hypoallergenic, washable, composed of 3 layers: two outer EVA, the central soft rubber, with 3 edges, mis. 100x100x4 cm., according to UNI EN 71.

**Categories:** [MARTIAL ARTS](#) | [BOXE](#), [TATAMI](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO](#) | [TATAMI](#)





## ART 6010 GYMNASTIC CARPET

ART 6010 GYMNASTIC CARPET  
 mt. 14 X 2 cross-linked closed cell polyethylene, multi-layer variable density to give a comfortable and safe absorption, seamless it has an homogeneity of surface, thickness and therefore comfort. Carpeted surface coupled by flame to ensure a perfect and long life, non-slip bottom. Can be rolled up for easy transport and storage. Placing side by side several lanes you can compose large surfaces. Red, 14X2 mt., 3 cm. thick.

### QUOTE ON REQUEST

**Categories:** [DANCE](#) | [RITHMIC GYMNASTIC](#) | [PROPRIOCEPTIVE](#) | [PSYCOMOTOR](#), [RYTHMIC HOOPS](#), [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)

## ART. 3762 MAT 200X100X4 D40

### ART. 3762

MAT 200x100x4 D40 in nondeformable foam density D40 (40 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, with handles, zipper and vents.

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATS](#) | [MATTRESS](#) | [JUDO TATAMI](#)



**MATTRESS | MATTRESS COVER**

**ART. 3771 - 3772 - 3773 - 3774 - 3775 ANTISLIP MATTRESS**

**ART. 3771 - 3772 - 3773 - 3774 - 3775 ANTISLIP MATTRESS**

**ART. 3771**

ANTISLIP MATTRESS 200X200X40 in nondeformable bearing foam density D21 (21 kg/ m<sup>3</sup>), reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, antislip bottom, with handles, zipper and vents.

**ART. 3772**

ANTISLIP MATTRESS 200X200X50

**ART. 3773**

ANTISLIP MATTRESS 300X200X30

**ART. 3774**

ANTISLIP MATTRESS 300X200X40

**ART. 3775**

ANTISLIP MATTRESS 300X200X50

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [MATTRESS](#) | [MATTRESS COVER](#)



**ART. 3763 - 3764 - 3765 - 3766 - 3767 - 3770  
MATTRESS 10, 20, 30, 40, 50 CM. H.**

**ART. 3763 - 3764 - 3765 - 3766 - 3767 -  
3770 MATTRESS 10, 20, 30, 40, 50 cm. h.**

**ART. 3763**

MATTRESS 200X100X10 in nondeformable bearing foam density D21 (21 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, with handles, zipper and vents.

**ART. 3764**

MATTRESS 200X100X20

**ART. 3765**

MATTRESS 200X100X30

**ART. 3766**

MATTRESS 200X100X40

**ART. 3767**

MATTRESS 200X100X50

**ART. 3770**

MATTRESS 400X200X20 (folded 200x200x40) central link with reinforced PVC band, in nondeformable bearing foam density D21 (21 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, with handles, zipper and vents.

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[MATTRESS | MATTRESS COVER](#)





## ART. 3776 - 3777 ANTISLIP MATTRESS CONTOURED 45°

ART. 3776 - 3777 ANTISLIP MATTRESS CONTOURED 45°

### ART. 3776

ANTISLIP MATTRESS CONTOURED 45° 400X200X40 in nondeformable bearing foam density D21 (21 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, antislip bottom, divided into two parts countered 45° and joined by Velcro closure and straps, with handles, zipper and vents.

### ART. 3777

ANTISLIP MATTRESS CONTOURED 45° 400X200X50 in nondeformable bearing foam density D21 (21 kg/ m<sup>3</sup>) reaction to fire class 1, "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignified Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, antislip bottom, divided into two parts countered 45° and joined by Velcro closure and straps, with handles, zipper and vents.

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATTRESS | MATTRESS COVER](#)



## ART. 3780 TROLLEY FOR MATTRESS

ART. 3780 TROLLEY FOR MATTRESS

Epoxy coated steel, with 4 swivel wheels Ø 100 mm, size 200x95x15 cm.

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATTRESS | MATTRESS COVER](#)



**ART. 3799 MATTRESS COVER**



ART. 3799 MATTRESS COVER

In "CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignifed Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, sizes on request.

**QUOTE ON REQUEST**

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[MATTRESS | MATTRESS COVER](#)

**ART. 3800 ANTISLIP MATTRESS COVER**

ART. 3800 ANTISLIP MATTRESS COVER

"CARBON DUAL COATED" fabric , tear-resistant, mildew-proof, washable and ignifed Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp, sizes on request.

**QUOTE ON REQUEST**

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[MATTRESS | MATTRESS COVER](#)





**ART. 3802 FALLING AREA FOR HIGH JUMP WITH RECESS FOR STANDING HOUSING CM 600X400X70H**

ART. 3802 FALLING AREA FOR HIGH JUMP WITH RECESS FOR STANDING HOUSING cm 600x400x70h

Includes: a) basic mattress 600x400x60h cm made of foam, density 16 (16 kg/m<sup>3</sup>) divided into 6 blocks, with "air channel" system (air channels over the entire width of the mattress to facilitate the air expulsion) b) cover "CARBON DUAL COATED" fabric, tear-resistant, mildew-proof, washable and ignifed Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN./5 cm in weft and 270 daN.5 cm in warp; sides with mesh vents Naizil fabric mesh 280/sq.m. (supportoin 1100 dtex polyester, tensile resistance in warp and weft 1500N) c) mattress wear and tear resistant 600x400x10h cm. made of foam, density 21 (21 kg/m<sup>3</sup>) coated mesh fabric "texplast" anti rivets 565 gr/sq.m. (breaking load 310kg/5cm in warp and 270 kg/5cm in weft, treatment against UV rays, joined to the cover with heavy-duty zippers in 3 sides. d) rainfly electro-welded PVC gray color.

**QUOTE ON REQUEST**

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATTRESS | MATTRESS COVER](#)


## ART. 3806 FALLING AREA FOR HIGH JUMP/POLE JUMP 600X600X80H 200 CM.

ART. 3806 FALLING AREA FOR HIGH JUMP/POLE JUMP 600x600x80h 200 cm.

Includes: a) basic mattress 600x510x70h cm. made of foam, density 16 (16 kg/m<sup>3</sup>) divided into 6 blocks, with "air channel" system (air channels over the entire width of the mattress to facilitate the air expulsion) b) high frequency electro-welded cover "CARBON DUAL COATED" fabric, tear-resistant, mildew-proof, washable and ignited Class 1 IM, weight 630 gr/mtq, PES 1100/1100HT fabric with double PVC coating, breakage load: 230 daN/5 cm in weft and 270 daN.5 cm in warp; c) mattress wear and tear resistant made of foam, density 21 (21 kg/m<sup>3</sup>) coated mesh fabric "texplast" anti rivets 565 gr/sq.m. (breaking load 310 kg/5cm in warp and 270kg/5cm in weft, treatment against UV rays, joined to the cover with heavy-duty zippers in 3 sides. d) rainfly electro-welded PVC gray color. e) slipways 2 mt., f) supports protections electro welded. In accordance with IAAF.

**QUOTE ON REQUEST**

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATTRESS | MATTRESS COVER](#)



## ART. 3810 SUPPORT/LIFTING PLATFORM FALLING AREA


ART. 3810 SUPPORT/LIFTING PLATFORM FALLING AREA  
Anodized aluminum framework with slats diameter 80x20x2 mm. with special side rails for the containment of mattresses and support of aluminum sheet close to the box to prevent breakage of the jumping pole in case of failure of the box; built in modules for easy transport (area 6x6 mt. slipway 2 mt. = total 48 sq.m.

**QUOTE ON REQUEST**

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS](#), [MATTRESS | MATTRESS COVER](#)



## WALL PROTECTIONS | EDGE AND ANGLE PROTECTIONS



### ART. 3850 PADDED PROTECTION FOR WALLS AND PILLARS

ART. 3850 PADDED PROTECTION FOR WALLS AND PILLARS  
 Mattress in nondeformable closed cell foam fire reaction class 1, density D 35 (35 kg./m<sup>3</sup>) 2,5 cm. thick, shock absorption according to EN 913C, NAIZIL cover fabric reaction to fire class 1, blue or yellow, washable, anti-bacterial, anti-mold, prepared for wall mounting with band with button-hole and dowels (dowels not provided), or velcro - size on request - ask for quote.

#### QUOTE ON REQUEST

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[WALL PROTECTIONS | EDGE AND ANGLE PROTECTIONS](#)

### ART. 3857ABLU BLUE WALL PROTECTION

Blue wall protection 24 mm. thick, fire reaction class 1. Soft and compact foam to ensure shock absorption, non-toxic, washable coated with scratch-resistant material, to be glued to walls, columns, edges and corners (use special glue - 300 gr. x sq.m.) size 200x145x2,4 cm., blue, in accordance to EN 913C - EN 1177:2008.

**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[WALL PROTECTIONS | EDGE AND ANGLE PROTECTIONS](#)



**ART. 3857ABLU-H 220 BLUE WALL PROTECTION**




Blue wall protection 24 mm. thick, fire reaction class 1. Soft and compact foam to ensure shock absorption, non-toxic, washable coated with scratch-resistant material, to be glued to walls, columns, edges and corners (use special glue - 300 gr. x sq.m.) size 220x145x2,4 cm., blue, in accordance to EN 913C - EN 1177:2008.

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [WALL PROTECTIONS](#) | [EDGE AND ANGLE PROTECTIONS](#)

**ART. 3858BL "Z" FINISHING BLUE**

ART. 3858BL "Z" FINISHING BLUE  
204 cm., blue, to finish start/end and top Art 3857BLU - to apply with special glue or dowels.

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [WALL PROTECTIONS](#) | [EDGE AND ANGLE PROTECTIONS](#)



**ART. 3856BL SOFT ANGLED EDGE PROTECTION BLUE**



In soft foam for shock absorption, soft, non-toxic, reaction to fire class 1, coated with scratch-resistant material, washable (to be fixed with special glue) size 200hx5x5 cm. 22 mm. thick, blue, according to EN 913C.

**Categories:** [MATTRESSES](#) | [MAT](#) | [WALL PROTECTIONS](#), [WALL PROTECTIONS](#) | [EDGE AND ANGLE PROTECTIONS](#)

## ART. 3870 SPECIAL GLUE

ART. 3870 SPECIAL GLUE

### ART. 3870 - 1

SPECIAL GLUE 1 1kg. to glue corner guards and wall protections TR to the walls, to be applied by brush or roller on the wall and on the protection 0,850 kg. (yeld: 150 gr. wall 150 gr. protection = 300 gr. x 1sq.m.)

### ART. 3870 - 4

SPECIAL GLUE 4 4 kg. (yeld: 150 gr. wall 150 gr. protection = 300 gr. x 1sq.m.)

### ART. 3870 - 10

SPECIAL GLUE 10 10 kg. (yeld: 150 gr. wall 150 gr. protection = 300 gr. x 1sq.m.)



**Categories:** [MATTRESSES | MAT | WALL PROTECTIONS,](#)  
[WALL PROTECTIONS | EDGE AND ANGLE PROTECTIONS](#)