

Dal 1960 al servizio dello **SPORT**



**SCHIAVI** **SPORT**

**CATALOGO 2020-2021**

## BASKET | MINIBASKET



### ART 1269 BASKET STRUCTURE FOR OUTDOOR ANTI-VANDALISM (COPIA)

In hot galvanized steel 80x80 mm, with grid backboard and hot galvanized fixed basket with net. To be applied on Art. 1270. Per piece

**Categories:** [NEW ARRIVALS](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

### ART. 1135 ANALOGIC ROUND PRESSURE GAUGE

ART. 1135 ANALOGIC ROUND PRESSURE GAUGE  
For balls pressure control, scale bar/lbs

**Categories:** [NEW ARRIVALS](#), [SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY](#), [SOCCER ACCESSORIES](#), [COMPRESSORS | MEGAPHONE](#), [BASKET | MINIBASKET](#), [VOLLEY | BEACH VOLLEY](#), [VOLLEYBALL | BEACH VOLLEY | FOOT VOLLEYBALL ACCESSORIES](#)





## ART 0634A-04 - 0634A-08 - 0634A-12 - 0634A-16 - 0634A-20 - 0634A-24 KETTLEBELL

ART 0634A-04 - 0634A-08 - 0634A-12 - 0634A-16 - 0634A-20 - 0634A-24 KETTLEBELL

### ART 0634-04

KETTLEBELL 4 cast iron coated with rubber, chrome handle, 4 kg.

### ART 0634-08

KETTLEBELL 8 cast iron coated with rubber, chrome handle, 8 kg.

### ART 0634-12

KETTLEBELL 12 cast iron coated with rubber, chrome handle, 12 kg.

### ART 0634-16

KETTLEBELL 16 cast iron coated with rubber, chrome handle, 16 kg.

### ART 0634-20

KETTLEBELL 20 cast iron coated with rubber, chrome handle, 20 kg.

### ART 0634-24

KETTLEBELL 24 cast iron coated with rubber, chrome handle, 24 kg.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#), [DUMBBELLS HOLDERS](#) | [DUMBBELLS](#) | [KETTLEBELLS](#)

## ART. 0470-05 - 0470-10 - 0470-15 - 0470-20 POWER SACK

ART. 0470-05 - 0470-10 - 0470-15 - 0470-20 POWER SACK

ART. 0470-05 POWER SACK

with reinforced and different in color ends, double handles.

Kg. 5

**Art. 0470-10** POWER SACK weight kg. 10

**Art. 0470-15** POWER SACK weight kg. 15

**Art. 0470-20** POWER SACK weight kg. 20,

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#)



## ART. 0464 SUSPENSION TRAINING SET



### ART. 0464 SUSPENSION TRAINING SET

Adjustable belt, max. 300 cm. (from handle to handle), equipped with belt for hooking to the door and with bag. Using the weight of your own body you can improve strength, stability, balance, coordination. It's sufficient hooking on the ceiling, the wall or the door, and with the belts in the kit, with your hands or your legs, you can perform several gymnastic exercises. Thanks to the development of multiple movements you increased your performance and improve posture.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET | MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL](#) | [ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#), [ELASTIC BANDS](#)

## ART 2510 BASKIN SUPPORTS FOR BASKET

Basket supports complete with screws (a pair of plates for a basket + screws) to be applied on Art 2466.

Basket and net excluded.

Recommended basket Art 2506 and net Art 2513

**Categories:** [NEW ARRIVALS](#), [BASKET | MINIBASKET](#), [BASKETBALL](#) | [MINIBASKETBALL SYSTEMS](#)



## ART. 0478-4 - 0478-6 - 0478-8 - 0478-10 -0478-12 - 0478-16 "SLAM BALL" ANTIREBOUNDS



ART. 0478-4 - 0478-6 - 0478-8 - 0478-10 -0478-12 - 0478-16 "SLAM BALL" ANTIREBOUNDS

Shock resistant, you use throwing it against the floor with full force, they don't bounce and stay on the ground.

**ART. 0478-4** "SLAM BALL" Kg. 4

**Art. 0478-6** "SLAM BALL" Kg. 6

**Art. 0478-8** "SLAM BALL" Kg. 8

**Art. 0478-10** "SLAM BALL" Kg. 10

**Art. 0478-12** "SLAM BALL" Kg. 12

**Art. 0478-16** "SLAM BALL" Kg. 16

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#), [GYMNASTICS](#),

## ART. 1723A FOLDING BALLS CARRIER TROLLEY

### ART. 1723A FOLDING BALLS CARRIER TROLLEY

In blue painted steel, mesh panels mm 70x70, swivel wheels diam mm 75, with lock, mis. 60x90x70h cm, max highness with weels cm 92

**Categories:** [NEW ARRIVALS](#), [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER](#) | [FUTSAL](#) | [MEDICAL BALLS](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL BALLS](#)



### **ART 0458 MASSAGE ROLLER BLU**



ART 0458 MASSAGE ROLLER BLU

Trigger point therapy. Absolute novelty for the self massage. EVA outer and inner polypropylene, inner section open, color black, measures 33 x 14 cm. For Pilates, yoga, gymnastics and rehabilitation; it is increasingly used to massage and relax the muscles after a workout. Useful for stretching, for sessions of Crossfit and Pilates, effectively it helps to ease muscle tension in the legs, back, shoulders, neck. trigger point. This tool can be used, under the supervision of a professional, also for the purpose of rehabilitation after injuries and / or accidents.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#)

### **ART 0455 MASSAGE BALL**

ART 0455 MASSAGE BALL

Massage Ball, externally cotton yarn coated; diam. cm. 7. Useful for self massage limbs.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#)





**ART 0485 MINI TRAINING PARALLEL**

ART 0485 MINI TRAINING PARALLEL  
Mini Training Parallel, two stable tubular steel frames with non-slip feet to make an almost endless array of fitness exercises using your body weight.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#)

**ART. 1132 COMPRESSOR FOR INFLATABLE BALLS**

**ART. 1132 COMPRESSOR FOR INFLATABLE BALLS**

Electric motor 220v, without oil, with needles and pressure gauge psi/bar scale. Bag/case, weight 2,150 kg, meas. cm 19x9x19h, max press. 150psi



**Categories:** [NEW ARRIVALS](#), [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [COMPRESSORS](#) | [MEGAPHONE](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#)



## ART 2410A FIBA OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 330 MANUAL

### ART 2410A FIBA OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 330 MANUAL

FIBA approved for 1st-level international competitions and UNI EN 1270 certified, hoverhang 330 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Basket height adjustment from mini-basketball to basketball by manual oil-pressure power unit with telescopic cylinder double safety. The implant moves, in resting position, on four wheels integrated into the base capable of stand up/drop automatically according to the movement of the structure. Front protection foam, thickness 10 cm, covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Backboards in tempered glass 12 mm. thick with safety film and bottom protection in polyurethane, detachable baskets with antiwip net. Prepared for anchoring to the floor. The system is equipped with 2 trellises, 3 tempered crystal backboards, 3 detachable baskets with nets, padded protections. Pylon size 420x185x200h cm., weight 950 kg., hoverhang 330 cm., minimum space for placement 420 cm. According to UNI EN 1270 and FIBA approved for 1st-level international competitions - delivery in 30 days.

**QUOTE ON REQUEST**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2410B FIBA OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 330 ELECTRIC

### ART 2410B FIBA OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 330 ELECTRIC

FIBA approved for 1st-level international competitions and UNI EN 1270 certified, hoverhang 330 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Basket height adjustment from mini-basketball to basketball by electric oil-pressure power unit with telescopic cylinder double safety. The implant moves, in resting position, on four wheels integrated into the base capable of stand up/drop automatically according to the movement of the structure. Front protection foam, thickness 10 cm, covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Backboards in tempered glass 12 mm. thick with safety film and bottom protection in polyurethane, detachable baskets with antiwip net. Prepared for anchoring to the floor. The system is equipped with 2 trellises, 3 crystal backboards, 3 detachable baskets with nets, padded protections. Pylon size 420x185x200h cm., weight 950 kg., hoverhang 330 cm., minimum space for placement 420 cm. According to UNI EN 1270 and FIBA approved for 1st-level international competitions - delivery in 30 days.

**QUOTE ON REQUEST**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)





### **ART 2413 FIBA TRANSPORTABLE BASKETBALL SYSTEM 225 MECHANIC**

#### **ART 2413 FIBA TRANSPORTABLE BASKETBALL SYSTEM 225 MECHANIC**

FIBA approved for 3rd-level international competitions and UNI EN 1270 certified, hoverhang 225 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Manual basket height adjustment from mini-basketball to basket-ball (260-280-305 cm.), with mechanical system with springs and balances, safe and simple doesn't require electricity to operate, wheels for movement integrated into the base capable of stand up/drop automatically according to the movement of the structure, the implant, in resting position, moves on four wheels. Front protection foam covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Detachable baskets, backboards in tempered glass with safety film and bottom protection in polyurethane, antiwip net, basket height 260-305 cm., hoverhang 225 cm. The system is equipped with 2 trellises, 3 crystal backboards, 3 detachable baskets with nets, padded protections. Prepared for anchoring to the floor. Pylon size 395x185x198h cm., 750 kg., hoverhang 225 cm., minimum space for placement 407 cm. According to UNI EN 1270 and FIBA approved for 3rd-level - delivery in 30 days.

#### **QUOTE ON REQUEST**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2413A OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 230 MANUAL

ART 2413A OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 230 MANUAL

FIBA not approved, UNI EN 1270 certified, hoverhang 230 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Hinges and joints are mounted on adjustable ball bearings or bearings. Basket height adjustment from mini-basketball to basketball by manual oil-pressure power unit with telescopic cylinder with non-return valve. The implant moves, in resting position, on four wheels integrated into the base capable of stand up/drop automatically according to the movement of the structure. Front protection foam, thickness 10 cm, covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Backboards in tempered glass 12 mm. thick with safety film and bottom protection in polyurethane, detachable baskets with antiwip net. Prepared for anchoring to the floor. The system is equipped with of 2 trellises, 3 tempered crystal backboards, 3 detachable baskets with nets, padded protections. Pylon size 330x185x200h cm., weight 780 kg., hoverhang 230 cm., minimum space for placement 320 cm. According to UNI EN 1270 - delivery in 30 days.

**QUOTE ON REQUEST**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)





## ART 2413B OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 230 ELECTRIC

ART 2413B OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 230 ELECTRIC  
 FIBA not approved, UNI EN 1270 certified, hoverhang 230 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Hinges and joints are mounted on adjustable ball bearings or bearings. Basket height adjustment from mini-basketball to basketball by electric oil-pressure power unit with telescopic cylinder with non-return valve. The implant moves, in resting position, on four wheels integrated into the base capable of stand up/drop automatically according to the movement of the structure. Front protection foam, thickness 10 cm, covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Backboards in tempered glass 12 mm. thick with safety film and bottom protection in polyurethane, detachable baskets with antiwip net. Prepared for anchoring to the floor. The system is equipped with 2 trellises, 3 tempered crystal backboards, 3 detachable baskets with nets, padded protections. Pylon size 330x185x200h cm., weight 780 kg., hoverhang 230 cm., minimum space for placement 320 cm. According to UNI EN 1270 - delivery 30 days.

### QUOTE ON REQUEST

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2421 BASKETBALL SYSTEM "TRELLIS"

ART 2421 BASKETBALL SYSTEM "TRELLIS"  
 Supporting framework in hot-dip galvanized tubular 55 mm., disassembled, hoverhang 228 cm., base 107x100 cm., base to be fixed with dowels to the floor (dowels excluded), backboards in melamine resin with counterframe 180x105x3,5 cm., fixed baskets and nets in accordance with regulation. One pair. (padded protections excluded) In accordance with UNI EN 1270.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2422 TRANSPOTABLE BASE "TROLLEY"

ART 2422 TRANSPOTABLE BASE "TROLLEY"  
For basket system trellis art. 2421. Supporting framework in hot-dip galvanized tubular, equipped with a removable trolley with wheels for lifting and transport, bases and containers for ballast (500 kg.) (ballast excluded) size 167x100 cm. One pair, in accordance with UNI EN 1270.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2425 - 2426 BASKETBALL MONOTUBE SYSTEM 165 - 225

### ART 2425 BASKETBALL MONOTUBE SYSTEM 165

Hot-dip galvanized, tubular supporting framework 150x150x3 mm., two sections (upright and overhang) with internal reinforcing ribs, bushes to drown in cement plinths (phlint 60x60x100h cm). Backboards in melamine resin with counterframe 180X105x3,5 cm., fixed hot-dip galvanized baskets and nets in accordance with regulation. Hoverhang 165 cm. One pair. In accordance with UNI EN 1270.

### ART 2426 BASKETBALL MONOTUBE SYSTEM 225

hot-dip galvanized, tubular supporting framework 150x150x3 mm., two sections (upright and overhang) with internal reinforcing ribs, bushes to drown in cement plinths (phlint 60x60x100h cm). Backboards in melamine resin with counterframe 180X105x3,5 cm., fixed hot-dip galvanized baskets and nets in accordance with regulation. Hoverhang 225 cm. One pair. In accordance with UNI EN 1270.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2427 BASKETBALL SYSTEM CEILING MOUNTED

ART 2427 BASKETBALL SYSTEM CEILING MOUNTED  
Steel supporting framework 150x50 mm. epoxy coated, made to measure, possibility of ceiling lifting with manual or electric winch on request, plexiglass backboards 180x105X4 cm., protection boards in printed polyurethane, detachable baskets and nets. Delivery in 30 days. In accordance with UNI EN 1270.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2428 ROTATING BASKETBALL SYSTEM WALL MOUNTED


ART 2428 ROTATING BASKETBALL SYSTEM WALL MOUNTED

Steel supporting tubular framework 150x50 mm. epoxy coated, hoverhang 325 cm.. The plant with lateral rotation of 90 °, parallel to the playfield, allows the approach of the backboard to the back wall on the right or left in the rest position. Plexiglass boards with counterframe 180x105X4 cm., protection boards in printed polyurethane, detachable baskets and nets. One pair. In accordance to UNI EN 1270. On request are performed custom-made hoverhang, delivery 30 days

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2429 MOBILE BASKETBALL SYSTEM WALL MOUNTED



ART 2429 MOBILE BASKETBALL SYSTEM WALL MOUNTED  
It can be lifted upward with manual winch, equipped with safety and lifting ropes. Heavy tubular supporting framework epoxy coated. Manual winches wall mounted with helical gears and worm screw. Plexiglass backboards with counterframe 180x105X4 cm., protection boards in printed polyurethane, detachable baskets and nets. One pair. Hoverhang 325 cm. (hoverhang made to measure and lift with electric winch on request). In accordance to UNI EN 1270. Delivery in 30 days.

**Categories:** [BASKET | MINIBASKET, BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2431 STEADY BASKETBALL SYSTEM WALL MOUNTED

ART 2431 STEADY BASKETBALL SYSTEM WALL MOUNTED  
Steel supporting tubular framework epoxy coated, with connecting rods and anchor plates to be fixed to the wall with dowels (dowels excluded). Backboards in melamine resin with counterframe 180X105x3,5 cm., fixed baskets in accordance with regulation and nets. Hoverhang 210/240 cm. (hoverhang made to measure on request). In accordance with UNI EN 1270.

**Categories:** [BASKET | MINIBASKET, BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2459 ELECTRIC BASKETBALL LIFTING BACKBOARD DEVICE



ART 2459 ELECTRIC BASKETBALL LIFTING BACKBOARD DEVICE

Steel supporting tubular framework epoxy coated, sliding along suitable guides, allows the backboard raising and lowering from basketball to minibasketball in safety, lifting by an electric piston 220 volt. One pair. It can be installed on all basketball systems SCHIAVI (only supply, electrical connection excluded).

**QUOTE ON REQUEST**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2460 MANUAL BASKETBALL LIFTING BACKBOARD DEVICE

ART 2460 MANUAL BASKETBALL LIFTING BACKBOARD DEVICE

Steel supporting tubular framework epoxy coated, sliding along suitable guides, manual raising and lowering by a worm screw driven by a removable rod, (removable rod included). Allows the backboard raising and lowering from basketball to minibasketball in safety, maneuvering from the ground using a removable rod. One pair. It can be installed on all basketball systems SCHIAVI.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)





## ART 2438 SINGLE BASKETBALL, MINIBASKETBALL, STREETBALL SYSTEM

ART 2438 SINGLE BASKETBALL, MINIBASKETBALL, STREETBALL SYSTEM

Varnished steel supporting tubular framework, foldable and transportable with wheels (wheels included). Quick and easy opening and closing, easily stackable, advised for traveling tournaments. Backboard in pp composite, 120x90 cm., 5 heights adjustable (212-243-260-274-305 cm.) fixed basket and net. Hoverhang 50 cm. Front protection padded, support plane for ballast (ballast not included), use 150 Kg. of ballast, size base 183x110 cm., size closed 315x110x23 cm. In accordance with UNI EN 1270. **One piece.**

**Categories:** [BASKET | MINIBASKET, BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2433 SINGLE GALVANIZED BASKETBALL SYSTEM PARK

ART 2433 SINGLE GALVANIZED BASKETBALL SYSTEM PARK  
For parks, gardens, parkings. Hot-dip galvanized supporting tubular framework diam. 114 cm. to cement on the floor (plinth 60x60x110h cm.), backboard in galvanized and painted sheet mod. USA 135x90 cm., fixed reinforced basket and net. Hoverhang 120 cm., In accordance with UNI EN 1270. By piece

**Categories:** [BASKET | MINIBASKET, BASKETBALL | MINIBASKETBALL SYSTEMS](#)





## ART 2439 SINGLE MONOTUBE BASKETBALL-MINIBASKETBALL SYSTEM

ART 2439 SINGLE MONOTUBE BASKETBALL-MINIBASKETBALL SYSTEM

To cement on the floor (plinth 40x40x90h cm.). Galvanized supporting tubular framework with square section 100x100 mm. Hoverhang about 70 cm. with mechanical device for rapid height adjustment of the basket. Backboard in pp composite mod. USA 120x90 cm., detachable baskets ULTRA FLEX and nets. According to UNI EN 1270 **One piece.**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2434 MINIBASKETBALL MONOTUBE SYSTEM

ART 2434 MINIBASKETBALL MONOTUBE SYSTEM

To be fixed to the floor. Hot-dip galvanized supporting tubular framework diam 90 mm.. Backboards in melamine resin with counterframe 120x90 cm., fixed basket and nets. Hoverhang 75 cm. One pair. In accordance with UNI EN 71.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2491 SINGLE BASKETBALL-MINIBASKETBALL SYSTEM WALL-MOUNTED

ART 2491 SINGLE BASKETBALL-MINIBASKETBALL SYSTEM WALL-MOUNTED

Galvanized metal with plate for wall mounting 38x17 cm, hoverhang 70 cm., mechanical device for rapid height adjustment of the basket. Rectangular backboard in pp composite 120x90 cm., detachable baskets ULTRA FLEX and nets. Accordin UNI EN 1270. **One piece.**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2435 STEADY MINIBASKETBALL SYSTEM WALL-MOUNTED

ART 2435 STEADY MINIBASKETBALL SYSTEM WALL-MOUNTED

To be fixed with dowels, supporting tubular framework 150x50 mm., epoxi coated. Backboards in melamine resin with counterframe 120x90 cm., fixed basket and nets. Hoverhang 70 cm. One pair. In accordance with UNI EN 71.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2464 COLUMN "UTILBASKETBALL"

ART 2464 COLUMN "UTILBASKETBALL"

Column "UTILBASKETBALL" with basketball ring and net (backboard not included), height adjustments from 215 cm. to 305 cm, tube 50x50 mm. epoxi coated (padded protection not included). **One piece.**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2466 BASKETBALL JUNIOR

ART 2466 BASKETBALL JUNIOR

Basketball junior, transportable, vinyl base fillable with sand, (ballast 80 kg.) or water, size 83x54x14 cm., wheels for transport, backboard USA 90x60 cm. in pp composite, manual height adjustment of the basket from 200 cm. to 260 cm., frame 3 section diam. 60 mm. epoxi coated, fixed basketball ring diam 45 cm., net, dowels to fix to the floor. in accordance with UNI EN 71. **One piece**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)





**ART 2536A PVC FOULS SCORE BOARD**

ART 2536 PVC FOULS SCORE BOARD  
Numbers from 1 to 5 on both sides, 32h cm, (numbers 20h cm), for soccer and basket (5 pcs set).

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [LINESMAN SET](#), [BASKET](#) | [MINIBASKET](#),

**ART. 2536 - 01 RED PVC BOARD**

ART. 2536 - 01 RED PVC BOARD  
With base, regulatory measures cm. 38x20, base size cm. 15 x 15 x 2.2, one pair.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [LINESMAN SET](#), [BASKET](#) | [MINIBASKET](#),



**ART 2530 PVC SCOTCH TAPE**

ART 2530 PVC SCOTCH TAPE  
Special scotch tape to mark playgrounds, indoor use, white-yellow-black-red, height 5 cm, 33 meter rolls. Application on dry, clean and smooth (non-porous) surfaces, allows the realization of straight and curved lines (230 m basketball court, volley 81 meters).

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [LINESMAN SET](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#)

## ART 2470 BASKETBALL COLUMN "PROFESSIONAL"

ART 2470 BASKETBALL COLUMN "PROFESSIONAL"  
Basketball column "PROFESSIONAL", transportable, vinyl base fillable with sand, (ballast 120 kg.) size 115X74X20cm., wheels for transport, rectangular backboard in transparent methacrylate 122x81 cm., 4 mm. thick, with protection in the lower part of the backboard. Height adjustment of the basket from 230 cm. to 305 cm. with crank and mechanism with worm screw. Frame diameter 85 mm., epoxy coated, reclining basketball ring diam 45 cm., accident prevention padded protection. In accordance with UNI EN 71.


**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2481 TEMPERED GLASS BASKETBALL BACKBOARDS

ART 2481 TEMPERED GLASS BASKETBALL BACKBOARDS 180x105 cm. (glass 12 mm. thick) with hollow in area basket for direct fixing of the basket to the counterframe, equipped with safety film and bottom protective in printed integral polyurethane, equipped with counterframe in reinforced metal and retaining frame plate. In pairs

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS | BASKETBALL RING | BASKETBALL NETS](#)



## ART 2482 - 2483 MELAMINE RESIN BASKETBALL BACKBOARDS

ART 2482 - 2483 MELAMINE RESIN BASKETBALL BACKBOARDS


### ART 2482

MELAMINE RESIN BASKETBALL BACKBOARDS outdoor use, equipped with counterframe in metal, **size 180x105x3,5 cm.** (melamine resin 10 mm. thick) one pair.

### ART 2483

MELAMINE RESIN BASKETBALL BACKBOARDS outdoor use, equipped with counterframe in metal, **size 180x120x3,5 cm.** (melamine resin 10 mm. thick) one pair.

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



## ART 2484 TRANSPARENT PLEXIGLASS BASKETBALL BACKBOARDS

ART 2484 TRANSPARENT PLEXIGLASS BASKETBALL BACKBOARDS

With hollow in area basket for direct fixing of the basket to the counterframe, 180x105x4,5 cm. (plexiglass 15 mm. thick) equipped with counterframe in reinforced metal and retaining frame plate, one pair.

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)

## ART 2485 TRANSPARENT PLEXIGLASS BASKETBALL BACKBOARDS

ART 2485 TRANSPARENT PLEXIGLASS BASKETBALL BACKBOARDS

Equipped with counterframe in metal, size 180x120x4.5 cm. (plexiglass 15 mm. thick), one pair.

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)





## ART 2410 FIBA TRANSPORTABLE BASKETBALL SYSTEM 325 MECHANIC

ART 2410 FIBA TRANSPORTABLE BASKETBALL SYSTEM 325 MECHANIC

FIBA approved for 1st-level international competitions and UNI EN 1270 certified, hoverhang 325 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Manual basket height adjustment from mini-basketball to basket-ball, with mechanical system with springs and balances, safe and simple doesn't require electricity for operation, wheels for movement integrated into the base capable of stand up/drop automatically according to the movement of the structure, the implant moves, in resting position, on four wheels. Front protection foam covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Detachable baskets, backboards in tempered glass with safety film and bottom protection in polyurethane, antiwip net, basket height 260-305 cm., hoverhang 325 cm. The system is equipped with 2 trellises, 3 crystal backboards, 3 detachable baskets with nets, padded protections. Prepared for anchoring to the floor. Pylon size 503x184x237h cm., 850 kg., hoverhang 325 cm., minimum space for placement 530 cm. According to UNI EN 1270 and FIBA approved for 1st-level international competitions - delivery in 30 days.

**QUOTE ON REQUEST**



**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2492 PP COMPOSITE BASKETBALL BACKBOARDS "USA"

ART 2492 PP COMPOSITE BASKETBALL BACKBOARDS "USA"

111x72 cm., outdoor use, to be fixed to the wall, fixed basket with regulatory measure and nets. **Single piece.**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS | BASKETBALL RING | BASKETBALL NETS](#)





### ART 2490 BASKETBALL BACKBOARD PROTECTION


ART 2490 BASKETBALL BACKBOARD PROTECTION  
Integral polyurethane printed to be applied to the bottom side of the basketball backboard. **One piece** (for 1 backboard)

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)

### ART 2496 MELAMINE RESIN MINIBASKETBALL BACKBOARDS

ART 2496 MELAMINE RESIN MINIBASKETBALL BACKBOARDS  
Outdoor use, equipped with metal counterframe size 120x90x3 cm. (without baskets and nets) one pair (melamine resin 10 mm. thick).

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



### ART 2501 DETHACHABLE BASKETBALL RING FIBA

**ART 2501**  
DETHACHABLE BASKETBALL RING FIBA FIBA approved, full tubular ring 20 mm., release system with springs, net hooking system with harmonic steel wire passing on round tube 10 mm. (drilling standard plate 90x110 mm.) equipped with safety protection rubber, net not included, **one piece**.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)

## ART 2501SF DETHACHABLE BASKETBALL RING FIBA

### ART 2501SF

DETHACHABLE BASKETBALL RING FIBA **with reinforced plate to customize holes.** FIBA approved, full tubular ring 20 mm., release system with springs, net hooking system with harmonic steel wire passing on round tube 10 mm. (drilling standard plate 90x110 mm.) equipped with safety protection rubber, net not included, **one piece.**

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



## ART 2504A STEADY BASKETBALL RING

### ART 2504 STEADY BASKETBALL RING

Heavy tubular ring 20 mm. x 2 diam., plate thickness mm. 3, hooks for heavy net mm. 3 - one pair , one pair.


**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)

## ART 2506 STEADY BASKETBALL RING IN ACCORDANCE WITH EN 1270

### ART 2506 STEADY BASKETBALL RING IN ACCORDANCE WITH EN 1270

With full tubular ring 17 mm., tie rods diam. 12 mm., epoxy coated orange, nets not included, diam 45 cm., one pair.

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)





**ART 2507 STEADY BASKETBALL RING HOT-DIP GALVANIZED**

ART 2507 STEADY BASKETBALL RING HOT-DIP GALVANIZED

Reinforced, outdoor use full tubular ring 20 mm, plate and side reinforcements 4 mm., diam. 45 cm., nets not included, one pair.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS | BASKETBALL RING | BASKETBALL NETS](#)

**ART 2511 BASKETBALL NET ANTI “WHIP”**

ART 2511 BASKETBALL NET ANTI “WHIP”

Approved by the International Federation, the semirigid upper part slows the ball and prevents the suction of the net after the passage of the ball. One pair.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS | BASKETBALL RING | BASKETBALL NETS](#)



**ART 2512 EXTRA HEAVY BASKETBALL NETS**

ART 2512 EXTRA HEAVY BASKETBALL NETS

In extra heavy nylon. One pair. Regulation size.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS | BASKETBALL RING | BASKETBALL NETS](#)



## ART 2513 HEAVY BASKETBALL NETS

ART 2513 HEAVY BASKETBALL NETS  
In heavy nylon. One pair. Regulation size.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS | BASKETBALL RING | BASKETBALL NETS](#)



## ART 2514 BASKETBALL NET "METAL"

ART 2514 BASKETBALL NET "METAL"  
Metal mesh, vandal-resistant, outdoor use, one piece.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS | BASKETBALL RING | BASKETBALL NETS](#)

## ART. 1090 MULTISPORT MEMO BOARD BOOK

ART. 1090 MULTISPORT MEMO BOARD BOOK  
Writeable, equipped with marker pen, magnetic, with 24 pieces, for soccer, futsal, basket, volley. Size 31x21, 5 cm.  
- 31,5 x43 cm open.

**Categories:** [SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY](#), [SOCCER ACCESSORIES](#), [SOCCER BOARD](#), [BASKET | MINIBASKET](#),





## ART 2471 SAFETY PROTECTIONS FOR BASKETBALL SYSTEM "TRELLIS"

ART 2471 SAFETY PROTECTIONS FOR BASKETBALL SYSTEM "TRELLIS"

Closed cell foam pad 2.5 cm. thick., reaction to fire class 1, shock absorption according to EN 913C and coating with tear resistant fabric reaction to fire class 1, size 305x199 cm. (for art. 2421). One pair.

**Categories:** [BASKET | MINIBASKET](#), [PROTECTIONS](#)

## ART 2472 SAFETY PROTECTIONS FOR BASKETBALL MONOTUBE SYSTEM

ART 2472 SAFETY PROTECTIONS FOR BASKETBALL MONOTUBE SYSTEM

Closed cell foam pad 2.5 cm. thick., reaction to fire class 1, shock absorption according to EN 913C and coating with tear resistant fabric reaction to fire class 1, (for tubular 150x150 mm.) height 200 cm. (for art. 2425-2426). One pair.

**Categories:** [BASKET | MINIBASKET](#), [PROTECTIONS](#)



## ART 2723 BASKETBALL MINIBASKETBALL SYSTEM PROTECTIONS

ART 2723 BASKETBALL MINIBASKETBALL SYSTEM PROTECTIONS

Basketball minibasketball system protections for art 2439, padded protection basketball-minibasketball system, padding in polyethylene 2,5 cm. thick, reaction to fire class 1, shock absorption according to EN 913C, tear resistant fabric reaction to fire class 1, velcro fastener, size 200x60 cm.

**Categories:** [BASKET | MINIBASKET](#), [PROTECTIONS](#)



**ART 2474 ACCIDENT PREVENTION PROTECTION “UTILBASKETBALL”**

ART 2474 ACCIDENT PREVENTION PROTECTION “UTILBASKETBALL”

Foam padded reaction to fire class 1, shock absorption according to EN 913C and coated with fabric reaction to fire class 1 - size 135x30 cm., velcro fastening (for Art. 2464).

**Categories:** [BASKET | MINIBASKET](#), [PROTECTIONS](#)



**ART 2529 BASKETBALL MEMOBOARD BOOK**

ART 2529 BASKETBALL MEMOBOARD BOOK  
Magnetic, equipped with pieces, size 42x36 cm.

**Categories:** [BASKET | MINIBASKET](#),



**ART 2556 MINIBASKETBALL NYLON RUBBER BALL**

ART 2556 MINIBASKETBALL NYLON RUBBER BALL  
Regulation, n. 5, white/blue.

**Categories:** [BASKET | MINIBASKET](#),





**ART 2557 BASKETBALL NYLON RUBBER BALL**

ART 2557 BASKETBALL NYLON RUBBER BALL  
Regulation, n. 7

**Categories:** [BASKET | MINIBASKET](#),

**ART 2692 MANUAL BASKETBALL POSSESION ARROW**

ART 2692 MANUAL BASKETBALL POSSESION ARROW  
Alternating possession indicator, manual, 30x20 cm.

**Categories:** [BASKET | MINIBASKET](#), , [SCOREBOARDS](#),  
[MANUAL SCOREBOARDS](#)



**ART 2581 CARENATE TABLE FOR JURY**

ART 2581 CARENATE TABLE FOR JURY  
Carinate table for jury, 3 mt. long, epoxy coated steel frame, with swivel wheels with brakes, 300x70x76h cm.

**Categories:** [BASKET | MINIBASKET](#),



## ART 2581PR PROTECTION TABLE FOR JURY

ART 2581PR PROTECTION TABLE FOR JURY  
3 mt., polyethylene foam padding 22 mm. thick, assembled with anti-bacterial pvc fabric and stuck on the side and front panels of the table, in accordance with EN 913C and reaction to fire class 1.

**Categories:** [BASKET](#) | [MINIBASKET](#),



## ART 2583 WOODEN CHANGE PLAYERS BENCH - ONE PAIR

ART 2583 WOODEN CHANGE PLAYERS BENCH - one pair  
Wooden change players bench, parallelepiped-shaped 90x45x45h cm. with slotted holes for hands, fire retardant paint class A - One pair.

**Categories:** [BASKET](#) | [MINIBASKET](#),

## ART 2584 TRANSPARENT PROTECTION TABLE FOR JURY

ART 2584 TRANSPARENT PROTECTION TABLE FOR JURY  
For jury and athletes, 50x30 mm steel frame epoxy coated, transparent polycarbonate 3mm. thick, swivel wheels with brakes diam 8 cm., size 305x70x230h cm. (base 70 cm.).

**Categories:** [BASKET](#) | [MINIBASKET](#),



**ART 6505 LOCKER ROOM BENCH IN BEECH WOOD**

ART 6505 LOCKER ROOM BENCH IN BEECH WOOD  
 Only seat, supporting tubular framework 40x25 mm. epoxy coated, planks of solid beech wood 100x19 mm. with rounded edges painted in natural, adjustable floor pads, 40 cm. depth, 47 cm. height., 100-150-200 cm. long.

**Categories:** [BASKET | MINIBASKET](#), , [LOCKER ROOM | INFIRMARY FURNISHING](#), [LOCKER BENCHES | HANGERS](#)



## BASKETBALL | MINIBASKETBALL SYSTEMS



### ART 1269 BASKET STRUCTURE FOR OUTDOOR ANTI-VANDALISM (COPIA)

In hot galvanized steel 80x80 mm, with grid backboard and hot galvanized fixed basket with net. To be applied on Art. 1270. Per piece

**Categories:** [NEW ARRIVALS](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

### ART 2510 BASKIN SUPPORTS FOR BASKET

Basket supports complete with screws (a pair of plates for a basket + screws) to be applied on Art 2466. Basket and net excluded. Recommended basket Art 2506 and net Art 2513

**Categories:** [NEW ARRIVALS](#), [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)





**ART 2410A FIBA OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 330 MANUAL**

ART 2410A FIBA OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 330 MANUAL

FIBA approved for 1st-level international competitions and UNI EN 1270 certified, hoverhang 330 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Basket height adjustment from mini-basketball to basketball by manual oil-pressure power unit with telescopic cylinder double safety. The implant moves, in resting position, on four wheels integrated into the base capable of stand up/drop automatically according to the movement of the structure. Front protection foam, thickness 10 cm, covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Backboards in tempered glass 12 mm. thick with safety film and bottom protection in polyurethane, detachable baskets with antiwip net. Prepared for anchoring to the floor. The system is equipped with 2 trellises, 3 tempered crystal backboards, 3 detachable baskets with nets, padded protections. Pylon size 420x185x200h cm., weight 950 kg., hoverhang 330 cm., minimum space for placement 420 cm. According to UNI EN 1270 and FIBA approved for 1st-level international competitions - delivery in 30 days.

**QUOTE ON REQUEST**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2410B FIBA OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 330 ELECTRIC

### ART 2410B FIBA OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 330 ELECTRIC

FIBA approved for 1st-level international competitions and UNI EN 1270 certified, hoverhang 330 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Basket height adjustment from mini-basketball to basketball by electric oil-pressure power unit with telescopic cylinder double safety. The implant moves, in resting position, on four wheels integrated into the base capable of stand up/drop automatically according to the movement of the structure. Front protection foam, thickness 10 cm, covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Backboards in tempered glass 12 mm. thick with safety film and bottom protection in polyurethane, detachable baskets with antiwip net. Prepared for anchoring to the floor. The system is equipped with 2 trellises, 3 crystal backboards, 3 detachable baskets with nets, padded protections. Pylon size 420x185x200h cm., weight 950 kg., hoverhang 330 cm., minimum space for placement 420 cm. According to UNI EN 1270 and FIBA approved for 1st-level international competitions - delivery in 30 days.

### QUOTE ON REQUEST

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)





## ART 2413 FIBA TRANSPORTABLE BASKETBALL SYSTEM 225 MECHANIC

### ART 2413 FIBA TRANSPORTABLE BASKETBALL SYSTEM 225 MECHANIC

FIBA approved for 3rd-level international competitions and UNI EN 1270 certified, hoverhang 225 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Manual basket height adjustment from mini-basketball to basket-ball (260-280-305 cm.), with mechanical system with springs and balances, safe and simple doesn't require electricity to operate, wheels for movement integrated into the base capable of stand up/drop automatically according to the movement of the structure, the implant, in resting position, moves on four wheels. Front protection foam covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Detachable baskets, backboards in tempered glass with safety film and bottom protection in polyurethane, antiwip net, basket height 260-305 cm., hoverhang 225 cm. The system is equipped with 2 trellises, 3 crystal backboards, 3 detachable baskets with nets, padded protections. Prepared for anchoring to the floor. Pylon size 395x185x198h cm., 750 kg., hoverhang 225 cm., minimum space for placement 407 cm. According to UNI EN 1270 and FIBA approved for 3rd-level - delivery in 30 days.

### QUOTE ON REQUEST

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2413A OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 230 MANUAL

### ART 2413A OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 230 MANUAL

FIBA not approved, UNI EN 1270 certified, hoverhang 230 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Hinges and joints are mounted on adjustable ball bearings or bearings. Basket height adjustment from mini-basketball to basketball by manual oil-pressure power unit with telescopic cylinder with non-return valve. The implant moves, in resting position, on four wheels integrated into the base capable of stand up/drop automatically according to the movement of the structure. Front protection foam, thickness 10 cm, covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Backboards in tempered glass 12 mm. thick with safety film and bottom protection in polyurethane, detachable baskets with antiwip net. Prepared for anchoring to the floor. The system is equipped with of 2 trellises, 3 tempered crystal backboards, 3 detachable baskets with nets, padded protections. Pylon size 330x185x200h cm., weight 780 kg., hoverhang 230 cm., minimum space for placement 320 cm. According to UNI EN 1270 - delivery in 30 days.

**QUOTE ON REQUEST**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)





## ART 2413B OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 230 ELECTRIC

ART 2413B OIL-PRESSURE TRANSPORTABLE BASKETBALL SYSTEM 230 ELECTRIC  
 FIBA not approved, UNI EN 1270 certified, hoverhang 230 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Hinges and joints are mounted on adjustable ball bearings or bearings. Basket height adjustment from mini-basketball to basketball by electric oil-pressure power unit with telescopic cylinder with non-return valve. The implant moves, in resting position, on four wheels integrated into the base capable of stand up/drop automatically according to the movement of the structure. Front protection foam, thickness 10 cm, covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Backboards in tempered glass 12 mm. thick with safety film and bottom protection in polyurethane, detachable baskets with antiwip net. Prepared for anchoring to the floor. The system is equipped with 2 trellises, 3 tempered crystal backboards, 3 detachable baskets with nets, padded protections. Pylon size 330x185x200h cm., weight 780 kg., hoverhang 230 cm., minimum space for placement 320 cm. According to UNI EN 1270 - delivery 30 days.

### QUOTE ON REQUEST

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2421 BASKETBALL SYSTEM "TRELLIS"

ART 2421 BASKETBALL SYSTEM "TRELLIS"  
 Supporting framework in hot-dip galvanized tubular 55 mm., disassembled, hoverhang 228 cm., base 107x100 cm., base to be fixed with dowels to the floor (dowels excluded), backboards in melamine resin with counterframe 180x105x3,5 cm., fixed baskets and nets in accordance with regulation. One pair. (padded protections excluded) In accordance with UNI EN 1270.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2422 TRANSPORTABLE BASE "TROLLEY"

ART 2422 TRANSPORTABLE BASE "TROLLEY"  
For basket system trellis art. 2421. Supporting framework in hot-dip galvanized tubular, equipped with a removable trolley with wheels for lifting and transport, bases and containers for ballast (500 kg.) (ballast excluded) size 167x100 cm. One pair, in accordance with UNI EN 1270.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2425 - 2426 BASKETBALL MONOTUBE SYSTEM 165 - 225

### ART 2425 BASKETBALL MONOTUBE SYSTEM 165

Hot-dip galvanized, tubular supporting framework 150x150x3 mm., two sections (upright and overhang) with internal reinforcing ribs, bushes to drown in cement plinths (phlint 60x60x100h cm). Backboards in melamine resin with counterframe 180X105x3,5 cm., fixed hot-dip galvanized baskets and nets in accordance with regulation. Hoverhang 165 cm. One pair. In accordance with UNI EN 1270.

### ART 2426 BASKETBALL MONOTUBE SYSTEM 225

hot-dip galvanized, tubular supporting framework 150x150x3 mm., two sections (upright and overhang) with internal reinforcing ribs, bushes to drown in cement plinths (phlint 60x60x100h cm). Backboards in melamine resin with counterframe 180X105x3,5 cm., fixed hot-dip galvanized baskets and nets in accordance with regulation. Hoverhang 225 cm. One pair. In accordance with UNI EN 1270.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2427 BASKETBALL SYSTEM CEILING MOUNTED

ART 2427 BASKETBALL SYSTEM CEILING MOUNTED  
Steel supporting framework 150x50 mm. epoxy coated, made to measure, possibility of ceiling lifting with manual or electric winch on request, plexiglass backboards 180x105X4 cm., protection boards in printed polyurethane, detachable baskets and nets. Delivery in 30 days. In accordance with UNI EN 1270.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2428 ROTATING BASKETBALL SYSTEM WALL MOUNTED


ART 2428 ROTATING BASKETBALL SYSTEM WALL MOUNTED

Steel supporting tubular framework 150x50 mm. epoxy coated, hoverhang 325 cm.. The plant with lateral rotation of 90 °, parallel to the playfield, allows the approach of the backboard to the back wall on the right or left in the rest position. Plexiglass boards with counterframe 180x105X4 cm., protection boards in printed polyurethane, detachable baskets and nets. One pair. In accordance to UNI EN 1270. On request are performed custom-made hoverhang, delivery 30 days

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2429 MOBILE BASKETBALL SYSTEM WALL MOUNTED



ART 2429 MOBILE BASKETBALL SYSTEM WALL MOUNTED  
It can be lifted upward with manual winch, equipped with safety and lifting ropes. Heavy tubular supporting framework epoxy coated. Manual winches wall mounted with helical gears and worm screw. Plexiglass backboards with counterframe 180x105X4 cm., protection boards in printed polyurethane, detachable baskets and nets. One pair. Hoverhang 325 cm. (hoverhang made to measure and lift with electric winch on request). In accordance to UNI EN 1270. Delivery in 30 days.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2431 STEADY BASKETBALL SYSTEM WALL MOUNTED

ART 2431 STEADY BASKETBALL SYSTEM WALL MOUNTED  
Steel supporting tubular framework epoxy coated, with connecting rods and anchor plates to be fixed to the wall with dowels (dowels excluded). Backboards in melamine resin with counterframe 180X105x3,5 cm., fixed baskets in accordance with regulation and nets. Hoverhang 210/240 cm. (hoverhang made to measure on request). In accordance with UNI EN 1270.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2459 ELECTRIC BASKETBALL LIFTING BACKBOARD DEVICE



ART 2459 ELECTRIC BASKETBALL LIFTING BACKBOARD DEVICE

Steel supporting tubular framework epoxy coated, sliding along suitable guides, allows the backboard raising and lowering from basketball to minibasketball in safety, lifting by an electric piston 220 volt. One pair. It can be installed on all basketball systems SCHIAVI (only supply, electrical connection excluded).

**QUOTE ON REQUEST**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2460 MANUAL BASKETBALL LIFTING BACKBOARD DEVICE

ART 2460 MANUAL BASKETBALL LIFTING BACKBOARD DEVICE

Steel supporting tubular framework epoxy coated, sliding along suitable guides, manual raising and lowering by a worm screw driven by a removable rod, (removable rod included). Allows the backboard raising and lowering from basketball to minibasketball in safety, maneuvering from the ground using a removable rod. One pair. It can be installed on all basketball systems SCHIAVI.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)





## ART 2438 SINGLE BASKETBALL, MINIBASKETBALL, STREETBALL SYSTEM

ART 2438 SINGLE BASKETBALL, MINIBASKETBALL, STREETBALL SYSTEM

Varnished steel supporting tubular framework, foldable and transportable with wheels (wheels included). Quick and easy opening and closing, easily stackable, advised for traveling tournaments. Backboard in pp composite, 120x90 cm., 5 heights adjustable (212-243-260-274-305 cm.) fixed basket and net. Hoverhang 50 cm. Front protection padded, support plane for ballast (ballast not included), use 150 Kg. of ballast, size base 183x110 cm., size closed 315x110x23 cm. In accordance with UNI EN 1270. **One piece.**

**Categories:** [BASKET | MINIBASKET, BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2433 SINGLE GALVANIZED BASKETBALL SYSTEM PARK

ART 2433 SINGLE GALVANIZED BASKETBALL SYSTEM PARK  
For parks, gardens, parkings. Hot-dip galvanized supporting tubular framework diam. 114 cm. to cement on the floor (plinth 60x60x110h cm.), backboard in galvanized and painted sheet mod. USA 135x90 cm., fixed reinforced basket and net. Hoverhang 120 cm., In accordance with UNI EN 1270. By piece

**Categories:** [BASKET | MINIBASKET, BASKETBALL | MINIBASKETBALL SYSTEMS](#)





## ART 2439 SINGLE MONOTUBE BASKETBALL-MINIBASKETBALL SYSTEM

ART 2439 SINGLE MONOTUBE BASKETBALL-MINIBASKETBALL SYSTEM

To cement on the floor (plinth 40x40x90h cm.). Galvanized supporting tubular framework with square section 100x100 mm. Hoverhang about 70 cm. with mechanical device for rapid height adjustment of the basket. Backboard in pp composite mod. USA 120x90 cm., detachable baskets ULTRA FLEX and nets. According to UNI EN 1270 **One piece.**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2434 MINIBASKETBALL MONOTUBE SYSTEM

ART 2434 MINIBASKETBALL MONOTUBE SYSTEM

To be fixed to the floor. Hot-dip galvanized supporting tubular framework diam 90 mm.. Backboards in melamine resin with counterframe 120x90 cm., fixed basket and nets. Hoverhang 75 cm. One pair. In accordance with UNI EN 71.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2491 SINGLE BASKETBALL-MINIBASKETBALL SYSTEM WALL-MOUNTED

ART 2491 SINGLE BASKETBALL-MINIBASKETBALL SYSTEM WALL-MOUNTED

Galvanized metal with plate for wall mounting 38x17 cm, hoverhang 70 cm., mechanical device for rapid height adjustment of the basket. Rectangular backboard in pp composite 120x90 cm., detachable baskets ULTRA FLEX and nets. Accordin UNI EN 1270. **One piece.**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2435 STEADY MINIBASKETBALL SYSTEM WALL-MOUNTED

ART 2435 STEADY MINIBASKETBALL SYSTEM WALL-MOUNTED

To be fixed with dowels, supporting tubular framework 150x50 mm., epoxi coated. Backboards in melamine resin with counterframe 120x90 cm., fixed basket and nets. Hoverhang 70 cm. One pair. In accordance with UNI EN 71.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART 2464 COLUMN "UTILBASKETBALL"

ART 2464 COLUMN "UTILBASKETBALL"

Column "UTILBASKETBALL" with basketball ring and net (backboard not included), height adjustments from 215 cm. to 305 cm, tube 50x50 mm. epoxi coated (padded protection not included). **One piece.**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2466 BASKETBALL JUNIOR

ART 2466 BASKETBALL JUNIOR

Basketball junior, transportable, vinyl base fillable with sand, (ballast 80 kg.) or water, size 83x54x14 cm., wheels for transport, backboard USA 90x60 cm. in pp composite, manual height adjustment of the basket from 200 cm. to 260 cm., frame 3 section diam. 60 mm. epoxi coated, fixed basketball ring diam 45 cm., net, dowels to fix to the floor. in accordance with UNI EN 71. **One piece**

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL | MINIBASKETBALL SYSTEMS](#)





## ART 2470 BASKETBALL COLUMN "PROFESSIONAL"

ART 2470 BASKETBALL COLUMN "PROFESSIONAL" Basketball column "PROFESSIONAL", transportable, vinyl base fillable with sand, (ballast 120 kg.) size 115X74X20cm., wheels for transport, rectangular backboard in transparent methacrylate 122x81 cm., 4 mm. thick, with protection in the lower part of the backboard. Height adjustment of the basket from 230 cm. to 305 cm. with crank and mechanism with worm screw. Frame diameter 85 mm., epoxy coated, reclinable basketball ring diam 45 cm., accident prevention padded protection. In accordance with UNI EN 71.

**Categories:** [BASKET | MINIBASKET, BASKETBALL | MINIBASKETBALL SYSTEMS](#)

## ART 2410 FIBA TRANSPORTABLE BASKETBALL SYSTEM 325 MECHANIC

ART 2410 FIBA TRANSPORTABLE BASKETBALL SYSTEM 325 MECHANIC

FIBA approved for 1st-level international competitions and UNI EN 1270 certified, hoverhang 325 cm. Structure in epoxy painted steel adequately sized to ensure maximum stability and maximum shock absorption. Manual basket height adjustment from mini-basketball to basket-ball, with mechanical system with springs and balances, safe and simple doesn't require electricity for operation, wheels for movement integrated into the base capable of stand up/drop automatically according to the movement of the structure, the implant moves, in resting position, on four wheels. Front protection foam covered with synthetic leather, padded protection of horizontal arm 100 cm from the board. Detachable baskets, backboards in tempered glass with safety film and bottom protection in polyurethane, antiwip net, basket height 260-305 cm., hoverhang 325 cm. The system is equipped with 2 trellises, 3 crystal backboards, 3 detachable baskets with nets, padded protections. Prepared for anchoring to the floor. Pylon size 503x184x237h cm., 850 kg., hoverhang 325 cm., minimum space for placement 530 cm. According to UNI EN 1270 and FIBA approved for 1st-level international competitions - delivery in 30 days.

**QUOTE ON REQUEST**



**Categories:** [BASKET | MINIBASKET, BASKETBALL | MINIBASKETBALL SYSTEMS](#)



## ART. 1135 ANALOGIC ROUND PRESSURE GAUGE

ART. 1135 ANALOGIC ROUND PRESSURE GAUGE  
For balls pressure control, scale bar/lbs

**Categories:** [NEW ARRIVALS](#), [SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY](#), [SOCCER ACCESSORIES](#), [COMPRESSORS | MEGAPHONE](#), [BASKET | MINIBASKET](#), [VOLLEY | BEACH VOLLEY](#), [VOLLEYBALL | BEACH VOLLEY | FOOT VOLLEYBALL ACCESSORIES](#)



## ART 0634A-04 - 0634A-08 - 0634A-12 - 0634A-16 - 0634A-20 - 0634A-24 KETTEL BELL

ART 0634A-04 - 0634A-08 - 0634A-12 - 0634A-16 - 0634A-20 - 0634A-24 KETTEL BELL

### ART 0634-04

KETTLEBELL 4 cast iron coated with rubber, chrome handle, 4 kg.

### ART 0634-08

KETTLEBELL 8 cast iron coated with rubber, chrome handle, 8 kg.

### ART 0634-12

KETTLEBELL 12 cast iron coated with rubber, chrome handle, 12 kg.

### ART 0634-16

KETTLEBELL 16 cast iron coated with rubber, chrome handle, 16 kg.

### ART 0634-20

KETTLEBELL 20 cast iron coated with rubber, chrome handle, 20 kg.

### ART 0634-24

KETTLEBELL 24 cast iron coated with rubber, chrome handle, 24 kg.



**Categories:** [SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET | MINIBASKET](#), [VOLLEY | BEACH VOLLEY](#), [VOLLEYBALL | BEACH VOLLEY | FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS | PILATES | YOGA | CROSSFIT](#), [CROSSFIT](#), [DUMBBELLS HOLDERS | DUMBBELLS | KETTLEBELLS](#)



## ART. 0470-05 - 0470-10 - 0470-15 - 0470-20 POWER SACK

ART. 0470-05 - 0470-10 - 0470-15 - 0470-20 POWER SACK

ART. 0470-05 POWER SACK

with reinforced and different in color ends, double handles.  
Kg. 5

**Art. 0470-10** POWER SACK weight kg. 10

**Art. 0470-15** POWER SACK weight kg. 15

**Art. 0470-20** POWER SACK weight kg. 20,

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#)

## ART. 0464 SUSPENSION TRAINING SET

ART. 0464 SUSPENSION TRAINING SET

Adjustable belt, max. 300 cm. (from handle to handle), equipped with belt for hooking to the door and with bag. Using the weight of your own body you can improve strength, stability, balance, coordination. It's sufficient hooking on the ceiling, the wall or the door, and with the belts in the kit, with your hands or your legs, you can perform several gymnastic exercises. Thanks to the development of multiple movements you increased your performance and improve posture.



**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#), [ELASTIC BANDS](#)

## ART. 0478-4 - 0478-6 - 0478-8 - 0478-10 -0478-12 - 0478-16 "SLAM BALL" ANTIREBOUN



ART. 0478-4 - 0478-6 - 0478-8 - 0478-10 -0478-12 - 0478-16 "SLAM BALL" ANTIREBOUN

Shock resistant, you use throwing it against the floor with full force, they don't bounce and stay on the ground.

**ART. 0478-4** "SLAM BALL" Kg. 4

**Art. 0478-6** "SLAM BALL" Kg. 6

**Art. 0478-8** "SLAM BALL" Kg. 8

**Art. 0478-10** "SLAM BALL" Kg. 10

**Art. 0478-12** "SLAM BALL" Kg. 12

**Art. 0478-16** "SLAM BALL" Kg. 16

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#), [GYMNASTICS](#),

## ART. 1723A FOLDING BALLS CARRIER TROLLEY

### ART. 1723A FOLDING BALLS CARRIER TROLLEY

In blue painted steel, mesh panels mm 70x70, swivel wheels diam mm 75, with lock, mis. 60x90x70h cm, max highness with weels cm 92

**Categories:** [NEW ARRIVALS](#), [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER](#) | [FUTSAL](#) | [MEDICAL BALLS](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL BALLS](#)



### ART 0458 MASSAGE ROLLER BLU



ART 0458 MASSAGE ROLLER BLU

Trigger point therapy. Absolute novelty for the self massage. EVA outer and inner polypropylene, inner section open, color black, measures 33 x 14 cm. For Pilates, yoga, gymnastics and rehabilitation; it is increasingly used to massage and relax the muscles after a workout. Useful for stretching, for sessions of Crossfit and Pilates, effectively it helps to ease muscle tension in the legs, back, shoulders, neck. trigger point. This tool can be used, under the supervision of a professional, also for the purpose of rehabilitation after injuries and / or accidents.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#)

### ART 0455 MASSAGE BALL

ART 0455 MASSAGE BALL

Massage Ball, externally cotton yarn coated; diam. cm. 7. Useful for self massage limbs.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#)





**ART 0485 MINI TRAINING PARALLEL**

ART 0485 MINI TRAINING PARALLEL  
Mini Training Parallel, two stable tubular steel frames with non-slip feet to make an almost endless array of fitness exercises using your body weight.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [EQUIPMENT FOR TRAINING](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#), [FITNESS](#) | [PILATES](#) | [YOGA](#) | [CROSSFIT](#), [CROSSFIT](#)

**ART. 1132 COMPRESSOR FOR INFLATABLE BALLS**

**ART. 1132 COMPRESSOR FOR INFLATABLE BALLS**  
Electric motor 220v, without oil, with needles and pressure gauge psi/bar scale. Bag/case, weight 2,150 kg, meas. cm 19x9x19h, max press. 150psi



**Categories:** [NEW ARRIVALS](#), [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [COMPRESSORS](#) | [MEGAPHONE](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#)

**ART 2536A PVC FOULS SCORE BOARD**

ART 2536 PVC FOULS SCORE BOARD  
Numbers from 1 to 5 on both sides, 32h cm, (numbers 20h cm), for soccer and basket (5 pcs set).



**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [LINESMAN SET](#), [BASKET](#) | [MINIBASKET](#),

## ART. 2536 - 01 RED PVC BOARD

ART. 2536 - 01 RED PVC BOARD  
With base, regulatory measures cm. 38x20, base size cm. 15 x 15 x 2.2, one pair.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [LINESMAN SET](#), [BASKET](#) | [MINIBASKET](#),



## ART 2530 PVC SCOTCH TAPE

ART 2530 PVC SCOTCH TAPE  
Special scotch tape to mark playgrounds, indoor use, white-yellow-black-red, height 5 cm, 33 meter rolls. Application on dry, clean and smooth (non-porous) surfaces, allows the realization of straight and curved lines (230 m basketball court, volley 81 meters).



**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [LINESMAN SET](#), [BASKET](#) | [MINIBASKET](#), , [VOLLEY](#) | [BEACH VOLLEY](#), [VOLLEYBALL](#) | [BEACH VOLLEY](#) | [FOOT VOLLEYBALL ACCESSORIES](#)

## ART. 1090 MULTISPORT MEMO BOARD BOOK

ART. 1090 MULTISPORT MEMO BOARD BOOK  
Writeable, equiped with marker pen, magnetic, with 24 pieces, for soccer, futsal, basket, volley. Size 31x21, 5 cm. - 31,5 x43 cm open.

**Categories:** [SOCCER](#) | [FUTSAL](#) | [BEACH SOCCER](#) | [HANDBALL](#) | [RUGBY](#), [SOCCER ACCESSORIES](#), [SOCCER BOARD](#), [BASKET](#) | [MINIBASKET](#),



**ART 2529 BASKETBALL MEMOBOARD BOOK**

ART 2529 BASKETBALL MEMOBOARD BOOK  
Magnetic, equipped with pieces, size 42x36 cm.

**Categories:** [BASKET](#) | [MINIBASKET](#),



**ART 2556 MINIBASKETBALL NYLON RUBBER BALL**

ART 2556 MINIBASKETBALL NYLON RUBBER BALL  
Regulation, n. 5, white/blue.

**Categories:** [BASKET](#) | [MINIBASKET](#),



**ART 2557 BASKETBALL NYLON RUBBER BALL**

ART 2557 BASKETBALL NYLON RUBBER BALL  
Regulation, n. 7

**Categories:** [BASKET](#) | [MINIBASKET](#),



## ART 2692 MANUAL BASKETBALL POSSESSION ARROW

ART 2692 MANUAL BASKETBALL POSSESSION ARROW  
Alternating possession indicator, manual, 30x20 cm.

**Categories:** [BASKET | MINIBASKET](#), , [SCOREBOARDS](#),  
[MANUAL SCOREBOARDS](#)



## ART 2581 CARENATE TABLE FOR JURY

ART 2581 CARENATE TABLE FOR JURY  
Carinate table for jury, 3 mt. long, epoxy coated steel frame, with swivel wheels with brakes, 300x70x76h cm.

**Categories:** [BASKET | MINIBASKET](#),



## ART 2581PR PROTECTION TABLE FOR JURY

ART 2581PR PROTECTION TABLE FOR JURY  
3 mt., polyethylene foam padding 22 mm. thick, assembled with anti-bacterial pvc fabric and stuck on the side and front panels of the table, in accordance with EN 913C and reaction to fire class 1.

**Categories:** [BASKET | MINIBASKET](#),



## ART 2583 WOODEN CHANGE PLAYERS BENCH - ONE PAIR




ART 2583 WOODEN CHANGE PLAYERS BENCH - one pair  
Wooden change players bench, parallelepiped-shaped 90x45x45h cm. with slotted holes for hands, fire retardant paint class A - One pair.

**Categories:** [BASKET](#) | [MINIBASKET](#),

## ART 2584 TRANSPARENT PROTECTION TABLE FOR JURY

ART 2584 TRANSPARENT PROTECTION TABLE FOR JURY  
For jury and athletes, 50x30 mm steel frame epoxy coated, transparent polycarbonate 3mm. thick, swivel wheels with brakes diam 8 cm., size 305x70x230h cm. (base 70 cm.).

**Categories:** [BASKET](#) | [MINIBASKET](#),




## ART 6505 LOCKER ROOM BENCH IN BEECH WOOD

ART 6505 LOCKER ROOM BENCH IN BEECH WOOD  
Only seat, supporting tubular framework 40x25 mm. epoxy coated, planks of solid beech wood 100x19 mm. with rounded edges painted in natural, adjustable floor pads, 40 cm. depth, 47 cm. height., 100-150-200 cm. long.

**Categories:** [BASKET](#) | [MINIBASKET](#), , [LOCKER ROOM](#) | [INFIRMARY FURNISHING](#), [LOCKER BENCHES](#) | [HANGERS](#)



## BASKETBALL BACKBOARDS | BASKETBALL RING | BASKETBALL NETS



### ART 2481 TEMPERED GLASS BASKETBALL BACKBOARDS

ART 2481 TEMPERED GLASS BASKETBALL BACKBOARDS 180x105 cm. (glass 12 mm. thick) with hollow in area basket for direct fixing of the basket to the counterframe, equipped with safety film and bottom protective in printed integral polyurethane, equipped with counterframe in reinforced metal and retaining frame plate. In pairs

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS | BASKETBALL RING | BASKETBALL NETS](#)

### ART 2482 - 2483 MELAMINE RESIN BASKETBALL BACKBOARDS

ART 2482 - 2483 MELAMINE RESIN BASKETBALL BACKBOARDS


#### ART 2482


MELAMINE RESIN BASKETBALL BACKBOARDS outdoor use, equipped with counterframe in metal, **size 180x105x3,5 cm.** (melamine resin 10 mm. thick) one pair.

#### ART 2483

MELAMINE RESIN BASKETBALL BACKBOARDS outdoor use, equipped with counterframe in metal, **size 180x120x3,5 cm.** (melamine resin 10 mm. thick) one pair.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS | BASKETBALL RING | BASKETBALL NETS](#)





## ART 2484 TRANSPARENT PLEXIGLASS BASKETBALL BACKBOARDS

ART 2484 TRANSPARENT PLEXIGLASS BASKETBALL BACKBOARDS

With hollow in area basket for direct fixing of the basket to the counterframe, 180x105x4,5 cm. (plexiglass 15 mm. thick) equipped with counterframe in reinforced metal and retaining frame plate, one pair.


**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)

## ART 2485 TRANSPARENT PLEXIGLASS BASKETBALL BACKBOARDS

ART 2485 TRANSPARENT PLEXIGLASS BASKETBALL BACKBOARDS

Equiped with counterframe in metal, size 180x120x4.5 cm. (plexiglass 15 mm. thick), one pair.

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



## ART 2492 PP COMPOSITE BASKETBALL BACKBOARDS "USA"

ART 2492 PP COMPOSITE BASKETBALL BACKBOARDS "USA"

111x72 cm., outdoor use, to be fixed to the wall, fixed basket with regulatory measure and nets. **Single piece.**

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)

## ART 2490 BASKETBALL BACKBOARD PROTECTION

ART 2490 BASKETBALL BACKBOARD PROTECTION  
Integral polyurethane printed to be applied to the bottom side of the basketball backboard. **One piece** (for 1 backboard)

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)




## ART 2496 MELAMINE RESIN MINIBASKETBALL BACKBOARDS

ART 2496 MELAMINE RESIN MINIBASKETBALL BACKBOARDS

Outdoor use, equipped with metal counterframe size 120x90x3 cm. (without baskets and nets) one pair (melamine resin 10 mm. thick).

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



## ART 2501 DETHACHABLE BASKETBALL RING FIBA

### ART 2501

DETHACHABLE BASKETBALL RING FIBA FIBA approved, full tubular ring 20 mm., release system with springs, net hooking system with harmonic steel wire passing on round tube 10 mm. (drilling standard plate 90x110 mm.) equipped with safety protection rubber, net not included, **one piece**.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



## ART 2501SF DETHACHABLE BASKETBALL RING FIBA



### ART 2501SF

DETHACHABLE BASKETBALL RING FIBA **with reinforced plate to customize holes**. FIBA approved, full tubular ring 20 mm., release system with springs, net hooking system with harmonic steel wire passing on round tube 10 mm. (drilling standard plate 90x110 mm.) equipped with safety protection rubber, net not included, **one piece**.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)

## ART 2504A STEADY BASKETBALL RING

### ART 2504 STEADY BASKETBALL RING

Heavy tubular ring 20 mm. x 2 diam., plate thickness mm. 3, hooks for heavy net mm. 3 - one pair, one pair.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)




## ART 2506 STEADY BASKETBALL RING IN ACCORDANCE WITH EN 1270

### ART 2506 STEADY BASKETBALL RING IN ACCORDANCE WITH EN 1270

With full tubular ring 17 mm., tie rods diam. 12 mm., epoxy coated orange, nets not included, diam 45 cm., one pair.

**Categories:** [BASKET | MINIBASKET](#), [BASKETBALL BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



**ART 2507 STEADY BASKETBALL RING HOT-DIP GALVANIZED**

ART 2507 STEADY BASKETBALL RING HOT-DIP GALVANIZED

Reinforced, outdoor use full tubular ring 20 mm, plate and side reinforcements 4 mm., diam. 45 cm., nets not included, one pair.

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL](#) | [BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



**ART 2511 BASKETBALL NET ANTI “WHIP”**

ART 2511 BASKETBALL NET ANTI “WHIP”

Approved by the International Federation, the semirigid upper part slows the ball and prevents the suction of the net after the passage of the ball. One pair.

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL](#) | [BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)

**ART 2512 EXTRA HEAVY BASKETBALL NETS**

ART 2512 EXTRA HEAVY BASKETBALL NETS

In extra heavy nylon. One pair. Regulation size.

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL](#) | [BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



**ART 2513 HEAVY BASKETBALL NETS**

ART 2513 HEAVY BASKETBALL NETS  
In heavy nylon. One pair. Regulation size.

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL](#)  
[BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



**ART 2514 BASKETBALL NET “METAL”**

ART 2514 BASKETBALL NET “METAL”  
Metal mesh, vandal-resistant, outdoor use, one piece.

**Categories:** [BASKET](#) | [MINIBASKET](#), [BASKETBALL](#)  
[BACKBOARDS](#) | [BASKETBALL RING](#) | [BASKETBALL NETS](#)



## PROTECTIONS



### ART 2471 SAFETY PROTECTIONS FOR BASKETBALL SYSTEM "TRELLIS"

ART 2471 SAFETY PROTECTIONS FOR BASKETBALL SYSTEM "TRELLIS"

Closed cell foam pad 2.5 cm. thick., reaction to fire class 1, shock absorption according to EN 913C and coating with tear resistant fabric reaction to fire class 1, size 305x199 cm. (for art. 2421). One pair.

**Categories:** [BASKET](#) | [MINIBASKET](#), [PROTECTIONS](#)

### ART 2472 SAFETY PROTECTIONS FOR BASKETBALL MONOTUBE SYSTEM

ART 2472 SAFETY PROTECTIONS FOR BASKETBALL MONOTUBE SYSTEM

Closed cell foam pad 2.5 cm. thick., reaction to fire class 1, shock absorption according to EN 913C and coating with tear resistant fabric reaction to fire class 1, (for tubular 150x150 mm.) height 200 cm. (for art. 2425-2426). One pair.

**Categories:** [BASKET](#) | [MINIBASKET](#), [PROTECTIONS](#)



**ART 2723 BASKETBALL MINIBASKETBALL SYSTEM PROTECTIONS**

ART 2723 BASKETBALL MINIBASKETBALL SYSTEM PROTECTIONS

Basketball minibasketball system protections for art 2439, padded protection basketball-minibasketball system, padding in polyethylene 2,5 cm. thick, reaction to fire class 1, shock absorption according to EN 913C, tear resistant fabric reaction to fire class 1, velcro fastener, size 200x60 cm.

**Categories:** [BASKET | MINIBASKET](#), [PROTECTIONS](#)



**ART 2474 ACCIDENT PREVENTION PROTECTION "UTILBASKETBALL"**

ART 2474 ACCIDENT PREVENTION PROTECTION "UTILBASKETBALL"

Foam padded reaction to fire class 1, shock absorption according to EN 913C and coated with fabric reaction to fire class 1 - size 135x30 cm., velcro fastening (for Art. 2464).

**Categories:** [BASKET | MINIBASKET](#), [PROTECTIONS](#)

