

SCHIAVISRORI

CATALOGO 2020-2021



SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS



ART 1051-6M SLAT BASE SUPPORTING HOOKS 84

ART 1051 - 6M SLAT BASE SUPPORTING HOOKS 84 for aluminum soccer goals, accident prevention, sliding in a special rail, shock proof, pack 84 pieces, size 37x22x10 mm. (for goals 6x2 mt.). **84 PCS. PACK**


Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS

ART 1051-3M SLAT BASE SUPPORTING HOOKS 60

ART 1051 - 3M SLAT BASE SUPPORTING HOOKS 60 for aluminum soccer goals, accident prevention, sliding in a special rail, shock proof, pack 60 pieces, size 37x22x10 mm. (for goals 3 x2 mt.).
60 PCS. PACK







ART 1051-4M SLAT BASE SUPPORTING HOOKS 68

ART 1051 - 4M SLAT BASE SUPPORTING HOOKS 68 for aluminum soccer goals, accident prevention, sliding in a special rail, shock proof, pack 68 pieces, size 37x22x10 mm. (for goals 4 x2 mt.). **68 PCS. PACK**

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS


ART 1050 SINGLE TRANSPORTABLE SOCCER GOAL MOD. "ITALIA"

ART 1050 SINGLE TRANSPORTABLE SOCCER GOAL MOD. "ITALIA"

In anodized white aluminum. Heavy aluminium profile (2.85 kg mtl) certified "quality system" according to DIN EN ISO 9002 issued by TUV CERT, with internal reinforcing ribs, oval section mm. 120x100. Heavy base in hot galvanized steel, diameter 80 mm., width 200 cm., slat base supporting in hot-dip galvanized steel 35 mm diam. Special spiral pegs to secure to the ground, inflatable wheels for transport diameter 26 cm. (two wheels). Crossbar in two pieces joined in the middle with a special reinforcement profile. Safety slat base supporting hooks, sliding in a special rail. Regulatory sizes 732x244x80/210 cm. In accordance with UNI EN 748 (nets excluded).







ART 1049 SOCCER GOAL MOD. "WORLD CHAMPIONSHIP"

ART 1049 SOCCER GOAL MOD. "WORLD CHAMPIONSHIP" In anodized white aluminum. Heavy aluminium profile (2.85 kg mtl) certified "quality system" according to DIN EN ISO 9002 issued by TUV CERT, with internal reinforcing ribs, oval section mm. 120x100, with aluminum bushings to be planted. Crossbar in two pieces joined in the middle with a special reinforcement profile. Safety slat base supporting hooks, sliding in a special rail. Slat base supporting stakes for hanging net, tubular galvanized steel diameter 48x3 mm, with ground bushes. Regulatory size 732x244 cm. In accordance with UNI EN 748 (nets excluded). A pair.

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS


ART 1051-5M SLAT BASE SUPPORTING HOOKS 76

ART 1051 - 5M SLAT BASE SUPPORTING HOOKS 76 for aluminum soccer goals, accident prevention, sliding in a special rail, shock proof, pack 76 pieces, size 37x22x10 mm. (for goals 5 x2 mt.).

76 PCS. PACK







ART 1052 SOCCER GOAL MOD. "EUROPA"

ART 1052 SOCCER GOAL MOD. "EUROPA" In anodized white aluminum. Heavy aluminum profile (2.85 kg mtl) certified "quality system" according to DIN EN ISO 9002 issued by TUV CERT with internal reinforcing ribs, oval section mm. 120x100, with aluminum bushings to be planted. Crossbar in two pieces joined in the middle with a special reinforcement profile. Dovetail slat base supporting tubular galvanized steel diameter 35x2 mm. Safety slat base supporting hooks, sliding in a special rail. Regulatory sizes 732x244 cm. In accordance with UNI EN 748 (nets excluded). A pair.


Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS

ART 1053 TRANSPORTABLE SOCCER GOAL MOD. "ITALIA"

ART 1053 TRANSPORTABLE SOCCER GOAL MOD. "ITALIA" In anodized white aluminum. Heavy aluminium profile (2.85 kg mtl) certified "quality system" according to DIN EN ISO 9002 issued by TUV CERT, with internal reinforcing ribs, oval section mm. 120x100. Heavy base in hot galvanized steel, diameter 80 mm., width 200 cm., slat base supporting in hot-dip galvanized steel 35 mm diam. Special spiral pegs to secure to the ground, anti puncture wheels for transport diameter 26 cm. (two wheels). Crossbar in two pieces joined in the middle with a special reinforcement profile. Safety slat base supporting hooks, sliding in a special rail. Regulatory sizes 732x244x80/210 cm. In accordance with UNI EN 748 (nets excluded). A pair.







ART 1059 FOLD-UP SOCCER GOAL NET

ART 1059 FOLD-UP SOCCER GOAL NET In galvanized steel, diam. 35x2 with hot-dip galvanized steel hinges to be applied to goals art. 1052 - 1049. It facilitates cutting grass and prevents damages to the net. A pair

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS

ART 1059-1 PADDED PROTECTION FOLD-UP NET AND/OR SLAT BASE SUPPORTING VERTICAL POLE

ART 1059-1 PADDED PROTECTION FOLD-UP NET AND/OR SLAT BASE SUPPORTING VERTICAL POLE In tubular coated with PE tear-resistant, UV protected according to EN 71-3, yellow. Sizes: L 248 cm, diam. 52 mm., thickness 17 mm.; equiped with n.. 6 bands.

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS





ART 1051 SLAT BASE SUPPORTING HOOKS 100

ART 1051 SLAT BASE SUPPORTING HOOKS 100 for aluminum soccer goals, accident prevention, sliding in a special rail, shock proof, pack 100 pieces, size 37x22x10 mm. (for goals 7,32 x2,44 mt.). **100 PCS. PACK**



ART 1049 - 06 PEGS FOR TRANSPORTABLE SOCCER GOALS

ART 1049 PEGS FOR TRANSPORTABLE SOCCER GOALS In hot-galvanized steel, set for 1 pair goals (8 pickets 1 key 8 brackets).

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS





ART 1054 INFLATABLE WHEELS 120

ART 1054 INFLATABLE WHEELS 120 Diameter 26 cm, equiped with brackets, removable, to be applied to art. 1050-1053-1273, pack 2 wheels 2 brackets.

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS


ART 1171 TRANSPORTABLE STEEL FUTSAL GOALS 300X200

ART 1171 TRANSPORTABLE STEEL FUTSAL GOALS 300X200

White epoxy coated steel. Profile round section diam. 80 mm, with welded rings and rods to block the net, rear net supporting frame in tubular 35 mm.. Transportable model to be placed on the floor and fasten with dowels or pegs (dowels and pegs not included). Regulatory sizes 300x200x100/120 cm. In accordance with UNI EN 749 - FIGC. A pair







ART 1172 TRANSPORTABLE STEEL FUTSAL GOALS 400X200

ART 1172 TRANSPORTABLE STEEL FUTSAL GOALS 400X200

White epoxy coated steel. Profile round section diam. 80 mm, with welded rings and rods to block the net, rear net supporting frame in tubular 35 mm.. Transportable model to be placed on the floor and fasten with dowels or pegs (dowels and pegs not included). Regulatory sizes 400x200x100/120 cm. In accordance with UNI EN 749 - FIGC. One couple

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS

ART 1173 TRANSPORTABLE STEEL FUTSAL GOALS 500X200


ART 1173 TRANSPORTABLE STEEL FUTSAL GOALS 500X200

White epoxy coated steel. Profile round section diam. 80 mm, with welded rings and rods to block the net, rear net supporting frame in tubular 35 mm.. Transportable model to be placed on the floor and fasten with dowels or pegs (dowels and pegs not included). Regulatory sizes 500x200x100/120 cm. In accordance with UNI EN 749 - FIGC. One couple









ART 1175 TRANSPORTABLE STEEL FUTSAL GOALS 600X200

ART 1175 TRANSPORTABLE STEEL FUTSAL GOALS 600X200


White epoxy coated steel. Profile round section diam. 80 mm, with welded rings and rods to block the net, rear net supporting frame in tubular 35 mm.. Transportable model to be placed on the floor and fasten with dowels or pegs (dowels and pegs not included). Regulatory sizes $600\times200\times100/120$ cm. In accordance with UNI EN 749 - FIGC. One couple

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS

ART 1199 JOINTS EQUIPED WITH BUSHINGS TO TRANSFORM THE STEEL SOCCER GOALS FROM TRANSPORTABLE TO FIXED.

ART 1199 JOINTS EQUIPED WITH BUSHINGS TO TRANSFORM THE STEEL SOCCER GOALS FROM TRANSPORTABLE TO FIXED.
Usable with our goals Art. 1171-1172-1173-1175 Height 80 mm., 4 pcs set (for 2 goals).

Categories: SOCCER | FUTSAL | BEACH SOCCER |HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS





ART 1171 ANTI PUNCTURE WHEELS 80

ART 1171 ANTI PUNCTURE WHEELS 80 Diameter 26 cm, equiped with brackets, removable, for transportable steel/aluminum soccer goals, upright diameter 80 mm. (pack: 2 wheels 2 brackets).



ART 1171 - 02 PEGS FOR TRANSPORTABLE FUTSAL GOALS

ART 1171 - 02 PEGS FOR TRANSPORTABLE FUTSAL GOALS In hot-galvanized steel, set for one pairs of goals (8 pegs 1 key 8 brackets)

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS





ART 1271 ALUMINUM TRANSPORTABLE FUTSAL GOALS 300X200

ART 1271 ALUMINUM TRANSPORTABLE FUTSAL GOALS 300×200

Heavy aluminum profile (1.9 kg mtl) certified "quality system" according to DIN EN ISO 9002 issued by TUV CERT with internal reinforcing ribs, anodized white, round section 80 mm, galvanized steel slat base supporting diameter 35 mm., safety slat base supporting hooks, sliding in a special rail. Transportable model to be placed on the floor and fixed with screws or pegs (dowels and pegs excluded) size 300x200x100/120 cm., one pair. In accordance with UNI EN 749 (nets excluded).




ART 1272 ALUMINUM TRANSPORTABLE REDUCED SOCCER GOALS 400X200

ART 1272 ALUMINUM TRANSPORTABLE REDUCED SOCCER GOALS 400x200

Heavy aluminum profile (1.9 kg mtl) certified "quality system" according to DIN EN ISO 9002 issued by TUV CERT with internal reinforcing ribs, anodized white, round section 80 mm, galvanized steel slat base supporting diameter 35 mm., safety slat base supporting hooks, sliding in a special rail. Transportable model to be placed on the floor and fixed with screws or pegs (dowels and pegs excluded) size $400 \times 200 \times 100/120$ cm., one pair. In accordance with UNI EN 749 (nets excluded).

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS





ART 1173 TRANSPORTABLE STEEL REDUCED SOCCER GOALS 500X200

ART 1173 TRANSPORTABLE STEEL REDUCED SOCCER GOALS 500x200


White epoxy coated steel. Profile round section diam. 80 mm, with welded rings and rods to block the net, rear net supporting frame in tubular 35 mm.. Transportable model to be placed on the floor and fasten with dowels or pegs (dowels and pegs not included). Regulatory sizes 500x200x100/120 cm. In accordance with FIGC rules. One pair (nets not included)



ART 1266 JOINTS EQUIPED WITH BUSHINGS TO TRANSFORM THE ALUMINUM GOALS FROM TRANSPORTABLE TO ANCHORED

ART 1266 JOINTS EQUIPED WITH BUSHINGS TO TRANSFORM THE ALUMINUM GOALS FROM TRANSPORTABLE TO ANCHORED Diameter 80 mm., usable with our goals art. 1271-1272. 4 pcs set (for two goals).

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS





ART 1280 ALUMINUM BEACH SOCCER GOALS 550X220

ART 1280 ALUMINUM BEACH SOCCER GOALS 550x220 Heavy aluminum profile (2.85 kg/mtl) certified quality management system according to DIN EN ISO 9002 issued by TUV CERT with internal reinforcing ribs, anodized white, oval section120x100 mm, safety slat base supporting hooks, sliding in a special rail. Dovetail slat base supporting, ground bushes. Size 550x220 cm. One pair (nets excluded).

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS

ART 1280 - 01 BEACH SOCCER CITY BUSHES

ART 1280 - 01 BEACH SOCCER CITY BUSHES
To be placed on the floor with wood trim to be covered with 50 cm of sand.







ART 1285 BEACH SOCCER COURT BOUNDARY

ART 1285 BEACH SOCCER COURT BOUNDARY 37x28 mt., no stretch polyester tapes, royal color, height 8 cm., length and width of the field with adjustable angle rings, straps for securing the goals, sand pegs and elastic straps.

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS

ART 2253 TRANSPORTABLE STEEL HANDBALL GOALS 300X200

ART 2253 TRANSPORTABLE STEEL HANDBALL GOALS 300×200

White epoxy coated steel square section 80x80 mm with welded eyelets and poles to lock the net, rear tubular framework slat base supporting diameter 35 mm. to be fixed to the floor with dowels or pegs (dowels and pegs not included). Regulatory sizes 300x200 cm. One pair (nets excluded).





ART 1056F FIBERGLASS MINI GOALS

ART 1056F FIBERGLASS MINI GOALS 183x107h cm. with net and bag - equiped with pins to be fixed to the ground, one pair.




ART 1276 ALUMINUM TRANSPORTABLE FUTSAL GOALS 600X200

ART 1276 ALUMINUM TRANSPORTABLE FUTSAL GOALS 600x200

Heavy aluminum profile (1.9 kg mtl) certified "quality system" according to DIN EN ISO 9002 issued by TUV CERT with internal reinforcing ribs, anodized white, round section 80 mm, galvanized steel slat base supporting diameter 35 mm., safety slat base supporting hooks, sliding in a special rail. Transportable model to be placed on the floor and fixed with screws or pegs (dowels and pegs excluded) size $600 \times 200 \times 100/120$ cm., one pair. In accordance with UNI EN 749 (nets excluded).

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS





ART 1060 TRAINING STEEL MINI GOALS

ART 1060 TRAINING STEEL MINI GOALS 150×110 cm. painted steel diameter 30 mm, disassembled, transportable to be placed on the ground, equiped with net and pegs to be fixed to the ground. Size 150×110 H cm (a single door).



ART 1060P PVC MINI GOALS

ART 1060P PVC MINI GOALS 160×1100 cm., PVC shockproof tube diameter 32 mm, size 160×110 H cm., disassemblable, transportable, to be placed on the ground, equiped with nets, one pair.

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS





ART 1178 STEEL SOCCER GOALS FOR GARDEN/BEACH

ART 1178 STEEL SOCCER GOALS FOR GARDEN/BEACH 300x200 cm. for kids, white painted tubular diameter 50x1,5 mm., fully disassemblable, with tubular grafting sectors, to facilitate assembly and transport, equiped with 4 hooks to be fixed to the ground and with net. Size 300x200x120 cm. (a single goal).

Categories: SOCCER | FUTSAL | BEACH SOCCER | HANDBALL | RUGBY, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS

ART 1178P PVC SOCCER GOALS FOR GARDEN/BEACH

ART 1178P PVC SOCCER GOALS FOR GARDEN/BEACH 300x200 cm. for kids, shockproof plastic tubular diam. mm. 68x1,5, white, fully disassembled with tubular grafting sectors, to facilitate assembly and transport, equiped with 5 hooks to be fixed to the ground and with light net, equiped with nylon bag, size 300x200x130 cm. (a single goal).







ART 1270 FOOTBALL / HANDBALL GOALS MT 3X2 ANTIVANDAL

Hot galvanized steel tube 80x80 mm. Net replaced with hot-dip galvanized tubular steel, round section. By piece.

To be fixed to the floor (dowels excluded)

Categories: NEW ARRIVALS, SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS

ART 1060A HEAVY MINIGOAL IN STEEL 170 X 10

In epoxy painted steel, white color, round section profile diam. 80×2 mm, tubular arch for 35×2 mm tubular net. Measures $170 \times 105 \times 48/80$ cm By piece.

Category: SOCCER GOALS | FUTSAL GOALS | BEACH SOCCER GOALS | HANDBALL GOALS | MINIGOALS

